



НИКА

ОСВЕЩАЕМ ГОРОДА

DE MAJO 2016 II Design

DE MAJO

8 (800) 302-03-60


www.nika.group

info@nika.group


DE MAJO

IL DESIGN

News



Dome
A, P, S, T
18_27



Roma
A/P
28_35




Bice
P
36_39



Bernini
S
40_43



Diaphanès
R, S
44_49



Dakota
A
112_113




Gemma
A, R, S, RM
114_117



Goutte
A, S
118_125



Lolli
S
126_129




Lumè
A, L, P, R, SF, S, T, RM
130_141



Metafora
A/P
50_55



Akemi
S
56_57




Micos
LIGHTDROPS
58_59




Memory
A, R, S, RM
142_159



Mia
S
160_163



Natural e Supernatural
K
164_171



Olimpia
A, S, R
172_175



Otto x Otto
A, F, K, L, P, R, S, T
176_189

Collection



Babol
P, R, S, T
62_65



Bell
A, S, T
66_71




Cannettata
A, P, S
72_79




Oxygene
L, T
190_193



Perlage
A/P, R
194_195




Peroni
A, S
196_205




Poli pò
A, F, K, L, A/P
206_211



Pro-secco
A, F, K, P, S, T, LIGHTDROPS, RM
212_221




Carrè
A, S
80_87



Charlotte
A, L, P, R, S, T, LIGHTDROPS
88_97




Cheese
AP, F
98_101




Chérie
AP, S
102_105



Cosmospora
AP, K
106_111



Stratosfera
L, P, R, S, T
222_229



Tommy
S
230_231



Vivace
A, K
232_237



Xilo
A, R, S, T
238_247


XXilo
R, S, T




Zabriskie Point
S
248_251

Lampade da incasso


Recessed light




Adamas
F
254_255



Auge
F
256_257



Tile
F
258_259



Cheese
F
260



Lumè
SF
261



Memory
XXS F
262



Otto x Otto
F
263



Pro•secco
F
264




San Siro
F
265



Spoke
MINI F
266_267

Minimal




Bilbao
R
270_271




Blade
A
272_273




Boa
R, S, RM
274_279




Jazz
A
280_283



Linear 2
S
284_285



Plana Plus
S
286_289



Quadra
A/P, S
290_293




Riga
A/P
294_297



Righetta
A
298_299



San Siro
A/P, F, R, S
300_305




Spoke
A/P, R, MINI F
306_311



Tau
A
312_313



Thin
S
314_315



Zip
A/P
316_317

Sospensione


Suspension

NEWS



Dome

18_19, 21, 22_25




Bernini

40_43



Diaphanès


45_47



Akemi

56_57

COLLECTION




Babol

62_63



Bell

66_69



Olimpia

175



Otto x Otto

176_180



Peroni

196_199, 201_203




Pro-secco

212_216, 218_219




Stratosfera

224, 227



Tommy

230_231



Cannettata

72_75




Carrè

80_83, 85




Charlotte

88_90



Chérie

104




Cosmospora

106_109




Gemma

114_116




Vivace

232_236



Xilo XXilo

238_239



Zabriskie Point


248_251

MINIMAL




Boa

274_277




Linear 2

284_285



Plana Plus

286_289



Goutte

118_123



Lolli

126_128




Lumè

130_131, 137, 139




Memory

143, 146_150, 152_155




Mia

160_163




Natural e Supernatural

164_170




Quadra

290_291



San Siro

300_302




Thin 2

314_315

Parete, Parete/soffitto


Wall Lamp, Wall/Ceiling lamp

NEWS




Dome

26



Roma

28_35



Metafora

50_55

COLLECTION



Bell

71



Cannettata

78



Carrè

84




Poli pò

206_211




Pro•secco

217



Vivace

237




Xilo

241



Blade

272_273




Jazz

280_283




Charlotte

93




Cheese

98_100



Chérie

102_103



Cosmospora

110




Dakota

112_113



Goutte

124



Quadra

292



Riga

294_297



Righetta

298_299




San Siro

305




Spoke

306_307




Tau

312_313




Lumè

133, 138



Memory

145




Olimpia

172_173



Otto x Otto

181



Perlage

194



Peroni

200



Zip


316_317

MINIMAL

Plafoniera

Ceiling lamp

NEWS



Dome

20



Bice


36_39



**Micos
Lightdrops System**

58_59

COLLECTION



Babol

65




Cannettata

76_77




Charlotte

91




Adamas

254_255




Auge

256_257



Tile

258_259




Cheese

100, 260




Lumè

261



**Charlotte
Lightdrops System**

94_95



**Gemma
Rosone Multiplo**

117



Lumè

132, 138



**Lumè
Rosone Multiplo**

141



**Memory
Rosone Multiplo**

148_149



Otto x Otto

182_185



**Memory
XXS**

151, 262



Otto x Otto

185, 263



Poli pò

211




Pro-secco

217, 264



San Siro

265, 305




Poli pò

206, 208




Pro-secco

220



**Pro-secco
Lightdrops System**

218_219



**Pro-secco
Rosone Multiplo**


221



Stratosfera


225

MINIMAL



**Boa
Rosone Multiplo**

279



Spoke

266, 310

Lampade da incasso

Recessed light

Terra

Floor lamp


NEWS



Diaphanès

49

COLLECTION



Babol

64



Charlotte

92



Lumè

136




Memory

144

Tavolo

Table lamp


NEWS



Dome

23

COLLECTION



Babol

65



Bell

70



Charlotte

91



Lumè

134_135



Olimpia

174



Otto x Otto

186



Perlage

195




Stratosfera

226




Xilo XXilo

242_243




Otto x Otto

187



Oxygene

190_192




Poli pò

211



Pro•secco

217



Stratosfera

222_223

MINIMAL



Bilbao

270_271



Boa

279




San Siro

303



Spoke

308



Xilo XXilo

243



News


Dome

design Chiaramonte Marin


Diffusore in vetro trasparente colore "tortora" con paralume in tessuto trama a rilievo colore "panna" interno bianco; o vetro trasparente colore "aranciato" con paralume in tessuto trama a rilievo colore "tortora" interno bianco. Montatura in metallo cromato.

Diffuser in transparent turtle-dove grey and tissue shade with prominent texture in ivory colour inside white or diffuser in transparent orange glass and tissue shade with prominent texture in turtle-dove grey inside white. Chromed metal structure.


DOME S50



DOME P50



DOME P38



DOME S38

Dome

design Chiaramonte Marin

DOME S38 - 45



DOME A26




DOME T38

Dome

design Chiamonte Marin




DOME S13




DOME A13

Dome


design Chiamonte Marin




DOME S13
9W 840lm
LED 2700K CRI90




DOME S38
19W 1950lm
LED 2700K CRI90




DOME S38-45
19W 1950lm
LED 2700K CRI90




DOME S50
27W 2520lm
LED 2700K CRI90




DOME P38
19W 1950lm
LED 2700K CRI90




DOME P50
27W 2520lm
LED 2700K CRI90



DOME A26
12,5W 1260lm
LED 2700K CRI90



DOME A13
9W 840lm
LED 2700K CRI90



DOME T38
19W 1950lm
LED 2700K CRI90



Roma

design Stefano Cavazzana

Diffusore in vetro colato cristallo trasparente.
Montatura in metallo laccato bianco opaco.
Shade in poured clear glass.
Mat white lacquered metal structure.



ROMA A/P 36-20




ROMA A/P 33



Roma

design Stefano Cavazzana



ROMA A/P 36-20



ROMA A/P 4,5-48,5




ROMA A/P 4,5-24,5



ROMA A/P 20


Roma

design Stefano Cavazzana




ROMA A/P 20
9W 850lm
LED 2700K CRI90

CE
IP20




ROMA A/P 33
25W 2700lm
LED 2700K CRI90

CE
IP20




ROMA A/P 44
38W 4000lm
LED 2700K CRI90

CE
IP20




ROMA A/P 36-20
19W 2000lm
LED 2700K CRI90

CE
IP20




ROMA A/P 48-24
25W 2700lm
LED 2700K CRI90

CE
IP20



ROMA A/P 4,5-24,5
13W 1350lm
LED 2700K CRI90

CE
IP20



ROMA A/P 4,5-48,5
26W 2700lm
LED 2700K CRI90

CE
IP20

Bice

design Alessandro Crosera


Diffusore composto da un vetro esterno in cristallo trasparente e un vetro interno in cristallo sabbiato.
Montatura in acciaio laccato bianco.
Shade composed of a clear glass outside and a frosted glass inside.
Metal structure in white lacquered steel.





Bice

design Alessandro Crosera



BICE P30
25W 2500lm
LED 2700K CRI90




Bernini

design Raffaello Galiotto


Sospensione in vetro colore cristallo realizzata interamente a mano con diffusori in lastra bianco. Montatura in cromo e alluminio anodizzato.
*Suspension with hand shaped clear glass elements and white plate diffusers.
Metal frame in chromed and anodized aluminium.*





Bernini

design Raffaello Galiotto



BERNINI S90
18W 1800lm +
LED 2700K CR190

9W 900lm
LED 2700K

CE
IP20
□




Diaphanès

design Valerio Cometti

Vetro in cristallo trasparente con diffusore
interno in PMMA microprismato.
Montatura in metallo laccato bianco lucido.
*Shade in clear glass and inside PMMA diffuser
with micro-structured prims surface.
Polished white lacquered metal structure.*





DIAPHANÈS S30



DIAPHANÈS S45


Diaphanès

design Valerio Cometti




Diaphanès

design Valerio Cometti




DIAPHANÈS S30
25W 2500lm +
LED 2700K CRI90

6W 600lm
LED 2700K



DIAPHANÈS S45
35W 3500lm +
LED 2700K CRI90

9W 900lm
LED 2700K



DIAPHANÈS R45
35W 3500lm +
LED 2700K CRI90

9W 900lm
LED 2700K
con varialuce
with dimmer



DIAPHANÈS R45



METAFORA A/P 19-32

Metafora

design Alessandro Crosera

Diffusore in lastra bianco con filtri
nei colori verde e arancione.
Montatura in acciaio laccato bianco opaco.
*White glass plate with green and orange filter.
Metal structure in mat white lacquered steel.*



Metafora

design Alessandro Crosera



METAFORA A/P 19



METAFORA A/P 32




METAFORA A/P 19




Metafora


design Alessandro Crosera



METAFORA A/P 19-32
13W 1350lm
LED 2700K CRI90



METAFORA A/P 19
9W 850lm
LED 2700K CRI90



METAFORA A/P 32
27W 2700lm
LED 2700K CRI90




Akemi

design Nicola Grandesso

Diffusore in vetro lattimo, vetro superiore in cristallo trasparente "ballotton" e diffusori interni in PMMA microsprismato. Montatura in metallo laccato bianco.

Shade in milkwhite glass, upper element in clear glass with "ballotton" pattern and inside diffusers in PMMA with micro-structured prisms surface. White lacquered metal structure.



AKEMI S50
35W 3500lm +
LED 2700K CR190



9W 900lm
LED 2700K





MICOS LIGHTDROPS SYSTEM

Micos


LIGHTDROPS SYSTEM - Design Lucio de Majo
MICOS - Design Francesco Dei Rossi, Lucio de Majo

Elemento componibile in vetro cristallo trasparente.
Rosone disponibile in due misure: 60 cm o 80 cm
in acciaio inox lucido con sorgente a LED.
Modular elements in clear glass.
Canopy available in two sizes: 60 cm or 80 cm
in polished stainless steel with LED light bulb.


Il vetro Micos è realizzato interamente a mano
in vetro di Murano ed è personalizzabile nelle
dimensioni e nei colori.
Micos is handmade Murano glass.
Customizable dimensions and colours.




MICOS




ROSONE Ø60CM LED
Canopy Ø60cm LED
3x 8,7W 240Vac / 2300lm
LED 3000 K
bianco caldo
warm white
Max 15 vetri
Max 15 glass



CE
⊕
IP20
ROSONE Ø80CM LED
Canopy Ø80cm LED
3x 13W 240Vac / 3500lm
LED 3000 K
bianco caldo
warm white
Max 19 vetri
Max 19 glass



CE
⊕
IP20
**MICOS LIGHTDROPS
SYSTEM 60**



**MICOS LIGHTDROPS
SYSTEM 80**

The background features several glowing white, curved lines that resemble a stylized DNA double helix or a series of overlapping arcs. On the left side, there is a vertical strip with a dark blue, textured, fibrous appearance. The overall color palette is dark, with the white lines providing a strong contrast.

Collection

Babol

design Nicola Grandesso

Diffusore in vetro bianco lucido.
Montatura in polietilene e metallo
laccato bianco lucido (RAL 9003).
*Glossy white glass diffusers.
Structure in polyethylene and
glossy white lacquered metal
(RAL 9003).*



BABOL SV




BABOL S




BABOL R

Babol


design Nicola Grandesso




BABOL S
12x20W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
12 x G9 LED
LED light bulb




BABOL R
12x20W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
con variatore
with dimmer
12 x G9 LED
LED light bulb



BABOL SV
20x20W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
interruttore-variabile
terra tavolo
table-floor on-cord
mini push dimmer
20 x G9 LED
LED light bulb



BABOL P
12x20W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
12 x G9 LED
LED light bulb



BABOL T
12x20W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
con variatore
with dimmer
12 x G9 LED
LED light bulb



BABOL P



BABOL T

Bell

design Francesco Dei Rossi

Diffusore in vetro satinato bianco.
Montatura in metallo cromato.
Shade in satined white glass.
Chromed metal fitting.



BELL S3V



BELL S2D




BELL S3L




BELL TO

Bell


design Francesco Dei Rossi




BELL A0
2x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
2 x G9 LED
LED light bulb




BELL S0
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1 x E27 LED
LED light bulb




BELL S1D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
cavo elettrico 200 cm
cables length 200 cm
1 x E27 LED
LED light bulb




BELL S2D
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
cavo elettrico 200 cm
cables length 200 cm
2 x E27 LED
LED light bulb




BELL S3L
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3 x E27 LED
LED light bulb



BELL TO
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1 x E27 LED
LED light bulb



BELL S3V
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
con varialuce
with dimmer



Kit opzionale per attacco a parete BELL S3V.
Optional kit to hang the model BELL S3V to the wall.



BELL A0

Cannettata

design Massimo Iosa Ghini

CANNETTATA S42/S52
Diffusore in vetro cristallo trasparente.
Montatura in alluminio anodizzato con
rosone in metallo laccato bianco.
Shade in clear glass.
Structure in anodized aluminium,
metal canopy white lacquered.

CANNETTATA A42/P42/P52
Diffusore in vetro cristallo trasparente.
Montatura in metallo laccato bianco.
Shade in clear glass.
Structure in metal white lacquered.



Cannettata

design Massimo Iosa Ghini



CANNETTATA S52



CANNETTATA S42

Cannettata

design Massimo Iosa Ghini



CANNETTATA P42




CANNETTATA P52



CANNETTATA A42

Cannettata

design Massimo Iosa Ghini




CANNETTATA A42
16W 240Vac / 1300lm
LED 3000 K
bianco caldo
warm white



CANNETTATA P42
30W 30Vdc / 2700lm
LED 3000 K
bianco caldo
warm white



CANNETTATA P52
60W 30Vdc / 5400lm
LED 3000 K
bianco caldo
warm white




CANNETTATA S42
30W 30 VDC / 2700 lm
LED 3000 K
bianco caldo
warm white



CANNETTATA S42ED
30W 30VCD / 2700lm
LED 3000 K
bianco caldo
warm white
alimentatore elettronico
dimmerabile
electronic ballast
dimmmable



CANNETTATA S42 HALOGEN
1 x 120W R7s
HDG
alogen mm 75
halogen mm 75



CANNETTATA S52
60W 30 VDC / 5400 lm
LED 3000 K
bianco caldo
warm white



CANNETTATA S52ED
60W 30VCD / 5400lm
LED 3000 K
bianco caldo
warm white
alimentatore elettronico
dimmerabile
electronic ballast
dimmmable



CANNETTATA S52 HALOGEN
1 x 160W R7s
HDG
alogen mm 114
halogen mm 114



ROSONE - CANOPY

Carrè

design Francesco Dei Rossi

Diffusore in vetro bianco satinato.
Montatura in metallo cromo satinato.
*Satined white glass shade.
Metal fitting in satin chrome.*

CARRÉ S1G



CARRÉ S1P



CARRÉ S1G



CARRÉ S3GL



Carrè

design Francesco Dei Rossi



CARRÉ AG



CARRÉ SV

Carrè

design Francesco Dei Rossi

<p>CARRÈ AP 1x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 1 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ AG 2x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 2x100W E27 SPOT R80 IRR/N 2x75W E27 - PAR 30 HAGS/UB 2 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S1P 1x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 1x30W E27 FBT fluorescente <i>fluorescent</i> 1 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S1PD 1x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 1x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 1 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S3PD 3x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 3x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 3 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S3GD 3x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 3x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 3 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S6PD 6x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 6x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 6 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S6GD 6x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 6x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 6 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>
<p>CARRÈ S1G 1x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 1x30W E27 FBT fluorescente <i>fluorescent</i> 1 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S1GD 1x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 1x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 1 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S2PD 2x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 2x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 2 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S2GD 2x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 2x30W E27 FBT fluorescente <i>fluorescent</i> cavo elettrico 200 cm <i>cables lenght 200 cm</i> 2 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S3PL 3x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 3x30W E27 FBT fluorescente <i>fluorescent</i> 3 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ S3GL 3x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> 3x30W E27 FBT fluorescente <i>fluorescent</i> 3 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>CARRÈ SV 3x77W E27 HSGSA/C/UB alogena chiara <i>clear halogen</i> con varialuce <i>with dimmer</i> 3 x E27 LED <i>LED light bulb</i></p> <p>CE IP 20</p>	<p>Kit opzionale per attacco a parete Carrè SV. <i>Optional kit to hang the model Carrè SV to the wall.</i></p>

Charlotte

design Luca Ferretto

Diffusore in vetro cristallo trasparente.
Montatura in metallo cromato e acciaio lucido.
Shade in clear glass.
Chromed metal and polished steel structure.




CHARLOTTE S3L



CHARLOTTE S5L

Charlotte

design Luca Ferretto



CHARLOTTE P1



CHARLOTTE L1



CHARLOTTE R1

Charlotte

design Luca Ferretto



CHARLOTTE A3



CHARLOTTE A1

Charlotte


LIGHTDROPS SYSTEM - Design Lucio de Majo
CHARLOTTE - Design Luca Ferretto

Elemento componibile in vetro cristallo trasparente.
Rosone disponibile in due misure: 60 cm o 80 cm
in acciaio inox lucido con sorgente a LED.
*Modular elements in clear glass.
Canopy available in two sizes: 60 cm or 80 cm
in polished stainless steel with LED light bulb.*


CHARLOTTE LIGHTDROPS SYSTEM

Charlotte


design Luca Ferretto




CHARLOTTE A1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb



CHARLOTTE A3
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb




CHARLOTTE L1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




CHARLOTTE S5L
5x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
5 x G9 LED
LED light bulb




CHARLOTTE T1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




CHARLOTTE P1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




CHARLOTTE R1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
con variatore
with dimmer




CHARLOTTE S1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




CHARLOTTE S1D
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
1 x G9 LED
LED light bulb




ROSONE Ø60CM LED
Canopy Ø60cm LED
3x 8,7W 240Vac / 2300lm
LED 3000 K
bianco caldo
warm white
Max 15 vetri
Max 15 glass




ROSONE Ø80CM LED
Canopy Ø80cm LED
3x 13W 240Vac / 3500lm
LED 3000 K
bianco caldo
warm white
Max 19 vetri
Max 19 glass




CHARLOTTE S2D
2x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
2 x G9 LED
LED light bulb




CHARLOTTE S3D
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
3 x G9 LED
LED light bulb




CHARLOTTE S6D
6x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
6 x G9 LED
LED light bulb



CHARLOTTE S3L
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb



CHARLOTTE LIGHTDROPS SYSTEM 60



CHARLOTTE LIGHTDROPS SYSTEM 80

CHARLOTTE S3L


Cheese

design Oriano Favaretto

Lastra in cristallo extrachiaro. Montatura in metallo cromato e verniciato grigio artico.
Utilizzando lampade dello stesso modello si possono creare composizioni luminose.
*Plate in extraclear glass. Chromed and lacquered artic-grey metal structure.
Possibility to obtain lighting compositions using lamps of the same model.*



CHEESE AP5



CHEESE AP10




CHEESE F3




Cheese

design Oriano Favaretto




CHEESE AP5


Esempio di composizione
Example of composition




CHEESE AP5
5x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer



CHEESE AP10
10x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer



CHEESE F3
3x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
foro incasso ø 8 cm
profondità minima 5 cm
trasformatore escluso
recessed hole ø 8 cm
min. depth 5 cm
transformer not included



Esempio di composizione
Example of composition

Chérie

design Luca Ferretto


Elementi in vetro borosilicato cristallo.
Montatura in metallo cromato.
Chérie sistema modulare estensibile
su richiesta fino ad un'altezza massima
di 10 mt 144 anelli al mq.
*Borosilicate glass detailing with
crystal effect. Chromed metal fitting.
Chérie a modular system that can be
extended to a maximum height of 10 m
144 glass ring for sqmt.*


CHÉRIE AP6



CHÉRIE

Esempio sistema modulare
Example modular system







CHÉRIE S6

Chérie


design Luca Ferretto




CHÉRIE AP3
 3x35W-12V GU5,3
 HAGS/UB
 alluminio *aluminium*
 36 anelli
 trasformatore elettronico
 36 glass rings
 electronic transformer
 3 x GU5,3 LED
 LED light bulb



CHÉRIE AP6
 6x35W-12V GU5,3
 HAGS/UB
 alluminio *aluminium*
 72 anelli
 trasformatore elettronico
 72 glass rings
 electronic transformer
 6 x GU5,3 LED
 LED light bulb



CHÉRIE S3
 3x35W-12V GU5,3
 HAGS/UB
 alluminio *aluminium*
 72 anelli
 trasformatore elettronico
 72 glass rings
 electronic transformer
 3 x GU5,3 LED
 LED light bulb



CHÉRIE S6
 6x35W-12V GU5,3
 HAGS/UB
 alluminio *aluminium*
 144 anelli
 trasformatore elettronico
 144 glass rings
 electronic transformer
 6 x GU5,3 LED
 LED light bulb



Cosmospora

design Maria Grazia Rosin

Lampadari ed appliques con elementi nei colori rosso, cristallo e cristallo sabbiato. Montatura in metallo cromato. I lampadari non sono forniti di prolungamento catena con rosone.
Chandeliers and wall lamps in red, clear glass and frosted. Chromed metal structure. For these chandeliers chain and canopy are not supplied.



COSMOSPORA K14




COSMOSPORA K47




COSMOSPORA A8/P8

Cosmospora


design Maria Grazia Rosin



COSMOSPORA A8/P8
 8 x max 33W G9
 HSGST/C/UB
 alogena bispina
 halogen bi-pin
 8 x G9 LED
 LED light bulb



COSMOSPORA K14
 14 x max 33W G9
 HSGST/C/UB
 alogena bispina
 halogen bi-pin
 14 x G9 LED
 LED light bulb



COSMOSPORA K47
 47 x max 33W G9
 HSGST/C/UB
 alogena bispina
 halogen bi-pin
 47 x G9 LED
 LED light bulb



Dakota

design Francesco Dei Rossi


Applique disponibile nella versione in metallo verniciato bianco opaco (RAL 9003) e metallo verniciato bianco opaco (RAL 9003) con decoro foglia oro.
Wall lamp available in matt white lacquered (RAL 9003) or matt white lacquered (RAL 9003) with gold leaf decoration.



DAKOTA A-G9
DAKOTA A-LED



DAKOTA A-G9
DAKOTA A-LED



DAKOTA A-G9
2x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin



DAKOTA A-LED
18W 10 VDC 900mA
1980lm
LED 3000 K
bianco caldo
warm white



Gemma

design Giovanni Barbato

Diffusore in vetro cristallo trasparente o cristallo con parte sabbata.
Sfera disponibile nei colori: cristallo, rosso trasparente, e bianco opaco.
Montatura in metallo cromato.
Clear shade or clear and frosted shade.
Ball available in the following colours:
clear, transparent red, matt white.
Chromed metal fitting.

Cristallo sfera cristallo
Clear glass wired ball clear



Cristallo sabbato sfera cristallo
Clear frosted shade wired ball clear

Cristallo sabbato sfera rossa
Clear frosted shade wired ball transparent red




Cristallo sfera bianca opaca
Clear glass wired ball matt white




GEMMA S3L

Gemma


design Giovanni Barbato




GEMMA S2D
 2x77W E27
 HSGSA/C/UB
 alogena chiara
 clear halogen
 2x75W E27 - PAR 30
 HAGS/UB
 2x14W E27
 FBT
 fluorescente *fluorescent*
 cavo elettrico 200 cm
 cables lenght 200 cm
 2 x E27 LED
 LED light bulb




GEMMA S3D
 3x77W E27
 HSGSA/C/UB
 alogena chiara
 clear halogen
 3x75W E27 - PAR 30
 HAGS/UB
 3x14W E27
 FBT
 fluorescente *fluorescent*
 cavo elettrico 200 cm
 cables lenght 200 cm
 3 x E27 LED
 LED light bulb




GEMMA S6D
 6x77W E27
 HSGSA/C/UB
 alogena chiara
 clear halogen
 6x75W E27 - PAR 30
 HAGS/UB
 6x14W E27
 FBT
 fluorescente *fluorescent*
 cavo elettrico 200 cm
 cables lenght 200 cm
 6 x E27 LED
 LED light bulb




GEMMA S3L
 3x77W E27
 HSGSA/C/UB
 alogena chiara
 clear halogen
 3x75W E27 - PAR 30
 HAGS/UB
 3x14W E27
 FBT
 fluorescente *fluorescent*
 3 x E27 LED
 LED light bulb




ROSONE MULTIPLØ Ø60CM
 Multiple canopy Ø60cm
 Max 15 vetri
 Max 15 glass



**GEMMA CADUTA
 GEMMA LIGHTDROP**
 1x77W E27
 HSGSA/C/UB
 alogena chiara
 clear halogen
 1x75W E27 PAR 30
 HAGS/UB
 1x14W E27
 FBT
 fluorescente
 fluorescent
 1 x E27 LED
 LED light bulb



**ROSONE MULTIPLØ
 Ø60CM GEMMA**



**ROSONE MULTIPLØ
 Ø80CM GEMMA**



ROSONE MULTIPLØ Ø80CM
 Multiple canopy Ø80cm
 Max 19 vetri
 Max 19 glass



Goutte

design Nicola Grandesso

Vetro disponibile nei colori:
"cappuccino" e cristallo, bianco e cristallo
con montatura cromata e paralume in seta di colore bianco;
nero e cristallo, bobeches in cristallo oro con montatura dorata
e paralume in seta di colore nero interno oro lucido.
*Glass available in the following colours:
"cappuccino" and clear glass, milkwhite and clear glass
with chromed structure and silk shade in white;
black and clear glass, bobeches in clear glass+gold leaf with gold
structure and silk shade in black internally polished gold.*



GOUTTE S16



GOUTTE S24



GOUTTE S8






GOUTTE A2




GOUTTE A3

Goutte


design Nicola Grandesso




GOUTTE A2
 2 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 2 x E14 LED
 LED light bulb




GOUTTE A3
 3 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 3 x E14 LED
 LED light bulb




GOUTTE S8
 8 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 8 x E14 LED
 LED light bulb




GOUTTE S10
 10 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 10 x E14 LED
 LED light bulb



GOUTTE S12
 12 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 12 x E14 LED
 LED light bulb



GOUTTE S16
 16 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 16 x E14 LED
 LED light bulb



GOUTTE S24
 24 x max 46W E14
 HSGSB/C/UB
 alogena chiara
 clear halogen
 24 x E14 LED
 LED light bulb



Lolli

design Luca Ferretto

Diffusore composto da un vetro esterno
in cristallo trasparente soffiato e un vetro
interno in borosilicato sabbato.
Montatura in metallo cromato.
*Diffuser composed of two glasses clear
glass outside and frosted borosilicate
glass inside. Chromed metal fitting.*






Lolli


design Luca Ferretto




LOLLI S1
1x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




LOLLI S1D
1x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm
1 x G9 LED
LED light bulb




LOLLI S2D
2x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm
2 x G9 LED
LED light bulb




LOLLI S3D
3x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm
3 x G9 LED
LED light bulb



LOLLI S6D
6x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm
6 x G9 LED
LED light bulb



LOLLI S3L
3x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb



Lumè

design Nicola Grandesso

LUMÈ WHITE DREAM
A1WD/A2WD/A3WD/POWD/SOWD/SFWD/S1WD/S2WD/S3LWD
Diffusore in vetro lattimo.
Montatura in metallo laccato bianco lucido (RAL 9003).
Milky-white glass shade.
Polished white lacquered metal structure (RAL 9003).

LUMÈ WHITE DREAM
L1WD/T1WD/R1WD
Diffusore in vetro lattimo, stelo in vetro borosilicato cristallo.
Montatura in metallo laccato bianco lucido (RAL 9003).
Milky-white glass shade, stem in clear borosilicate glass.
Polished white lacquered metal structure (RAL 9003).

Lumè

design Nicola Grandesso



LUMÈ POWD



LUMÈ A1WD

Lumè

design Nicola Grandesso



LUMÈ L1WD

LUMÈ T1WD

Lumè

design Nicola Grandesso

LUMÈ A1/A2/A3/PO/SO/SF/S1/S2/S3L
Vetro diffusore cristallo soffiato.
Montatura in metallo cromato.
*Mouth blown clear glass shade.
Chromed metal fitting.*

LUMÈ L1/T1/R1
Vetro diffusore cristallo soffiato,
stelo in vetro borosilicato cristallo.
Montatura in metallo cromato.
*Mouth blown clear glass shade,
stem in clear borosilicate glass.
Chromed metal fitting.*



LUMÈ R1



LUMÈ S2



LUMÈ A3



LUMÈ A2



LUMÈ P0

Lumè Dark Moon

design Nicola Grandesso


Diffusore in vetro nero trasparente.
Montatura in metallo laccato nero lucido
(RAL 9005).
Clear black glass shade.
Polished black lacquered metal structure
(RAL 9005).




LUMÈ S2DM

Lumè


design Nicola Grandesso



LUMÈ A2
LUMÈ A2WD
2x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
2 x E14 LED
LED light bulb




LUMÈ A3
LUMÈ A3WD
3x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
3 x E14 LED
LED light bulb




LUMÈ L1
LUMÈ L1WD
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




LUMÈ T1
LUMÈ T1WD
1x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1 x E27 LED
LED light bulb




LUMÈ S1
LUMÈ S1WD
1x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1 x E27 LED
LED light bulb




LUMÈ S2
LUMÈ S2WD
3x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3 x E27 LED
LED light bulb




LUMÈ S2DM
3x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3 x E27 LED
LED light bulb



LUMÈ S3L
LUMÈ S3LWD
3x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
3 x E14 LED
LED light bulb




LUMÈ PO
LUMÈ POWD
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb



LUMÈ R1
LUMÈ R1WD
1x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
con varialuce
with dimmer
1 x E27 LED
LED light bulb




LUMÈ SF
LUMÈ SFWD
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
foro incasso \varnothing 4,5 cm
recessed hole \varnothing 4,5 cm
1 x E14 LED
LED light bulb




LUMÈ SO
LUMÈ SOWD
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




ROSONE MULTIPLØ Ø60CM
Multiple canopy \varnothing 60cm
Max 15 vetri
Max 15 glass




ROSONE MULTIPLØ Ø80CM
Multiple canopy \varnothing 80cm
Max 19 vetri
Max 19 glass



LUMÈ SO CADUTA
LUMÈ SO LIGHTDROP
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb



ROSONE MULTIPLØ Ø60CM LUMÈ



ROSONE MULTIPLØ Ø80CM LUMÈ

Memory

design Lucio de Majo

Diffusore disponibile nei seguenti colori:
bianco satinato, cristallo, cristallo sabbato bordo satinato,
cristallo sabbato bordi trasparenti, cristallo "rigadin".
Montatura in metallo cromato.

*Glass shade available in the following colours:
satined white, clear, frosted with satined edge,
frosted with clear edges, clear "rigadin".
Chromed metal fitting.*



Memory

design Lucio de Majo



MEMORY R1



MEMORY A1



MEMORY A



MEMORY SL

Memory

design Lucio de Majo

MEMORY L

Diffusore disponibile nei seguenti colori:
cristallo, cristallo sabbiato bordi trasparenti,
cristallo "rigadin".

Montatura in metallo cromato.

*Glass shade available in the following colours:
clear, frosted with clear edges, clear "rigadin".*

Chromed metal fitting.

Memory

design Lucio de Majo

ROSONE MULTIPLIO



MEMORY P ROSONE MULTIPLIO



MEMORY XXS S5D

Memory

design Lucio de Majo

MEMORY XXS
Diffusore in vetro cristallo.
Montatura in metallo cromato.
Shade in clear glass.
Chromed metal fitting.



MEMORY XXS F

Memory

design Lucio de Majo

MEMORY XXL

Diffusore in vetro bianco satinato,
filtri in materiale plastico rosso o blu.

Montatura in metallo cromato; metallo verniciato
bianco (RAL 9016) per la versione a scarica con
alogenuri metallici.

*Satin finish white glass diffuser, red or blue plastic
filters. Chromed metal fitting; lacquered white
(RAL 9016) for version with metal halide.*



MEMORY XXL

Memory Black&Gold


design Lucio de Majo

Diffusore in vetro nero ed
interno foglia oro.
Montatura in metallo laccato
nero lucido (RAL 9005).
*Diffuser in black glass internally
lined with golden leaf. Polished
black lacquered metal structure
(RAL 9005).*




Memory


design Lucio de Majo




MEMORY A
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1 x E27 LED
LED light bulb




MEMORY A1
1x120W R7s
HDG
alogeno lineare 75 mm
halogen linear 75 mm




MEMORY S3GD
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x75W E27-PAR 30
HAGS/UB
3x21W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
3 x E27 LED
LED light bulb



MEMORY S6PD
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x75W E27-PAR 30
HAGS/UB
cavo elettrico 200 cm
cables lenght 200 cm
6 x E27 LED
LED light bulb




MEMORY S6GD
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x75W E27-PAR 30
HAGS/UB
6x21W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
6 x E27 LED
LED light bulb




MEMORY S3PL
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x75W E27-PAR 30
HAGS/UB
3 x E27 LED
LED light bulb




MEMORY R1
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
base in cristallo extrachiaro
con varialuce
*base in extraclear glass
with dimmer*




MEMORY S1P
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1 x E27 LED
LED light bulb




MEMORY S1G
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1x21W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




MEMORY S1PD
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
cavo elettrico 200 cm
cables lenght 200 cm
1 x E27 LED
LED light bulb




MEMORY S3GL
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x75W E27-PAR 30
HAGS/UB
3x21W E27
FBT
fluorescente *fluorescent*
3 x E27 LED
LED light bulb




MEMORY SL
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




MEMORY SLD
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1x30W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
1 x E27 LED
LED light bulb




MEMORY BLACK&GOLD
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HAGST/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




MEMORY S1GD
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27-PAR 30
HAGS/UB
1x21W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
1 x E27 LED
LED light bulb




MEMORY S2PD
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
2x75W E27-PAR 30
HAGS/UB
cavo elettrico 200 cm
cables lenght 200 cm
2 x E27 LED
LED light bulb



MEMORY S2GD
2x77W E27
HSGSA/C
alogeno chiara
clear halogen
2x75W E27-PAR 30
HAGS/UB
2x21W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
2 x E27 LED
LED light bulb



MEMORY S3PD
3x77W E27
HSGSA/C
alogeno chiara
clear halogen
3x75W E27-PAR 30
HAGS/UB
cavo elettrico 200 cm
cables lenght 200 cm
3 x E27 LED
LED light bulb



MEMORY XXL
1x77W E27 +
HSGSA/C/UB
alogeno chiara
clear halogen
1x205W E27
HSGST/C/UB
alogeno chiara
clear halogen
doppia accensione
double switch
2 x E27 LED
LED light bulb




MEMORY XXL
1x77W E27 +
HSGSA/C/UB
alogeno chiara
clear halogen
1x70W G8,5
MT/UB
scarica
metal halide
high intensity discharge
doppia accensione
double switch




Memory


design Lucio de Majo




MEMORY XXS F
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
foro incasso \varnothing 4,5 cm
profondità minima 5 cm
trasformatore escluso
recessed hole \varnothing 4,5 cm
min. depth 5 cm
transformer not included




MEMORY XXS S1
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




MEMORY XXS S1D
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
cavo elettrico 200 cm
electronic transformer
cables length 200 cm




MEMORY XXS S2D
2x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
cavo elettrico 200 cm
electronic transformer
cables length 200 cm




MEMORY XXS S3D
3x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
cavo elettrico 200 cm
electronic transformer
cables length 200 cm




MEMORY XXS S4D
4x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
cavo elettrico 200 cm
electronic transformer
cables length 200 cm




MEMORY XXS S5D
5x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
cavo elettrico 200 cm
electronic transformer
cables length 200 cm




ROSONE MULTIPLA Ø60CM
Multiple canopy Ø60cm
Max 15 vetri
Max 15 glass




ROSONE MULTIPLA Ø80CM
Multiple canopy Ø80cm
Max 19 vetri
Max 19 glass




MEMORY P CADUTA
MEMORY P LIGHTDROP
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
1 x E27 LED
LED light bulb





ROSONE MULTIPLA Ø60CM MEMORY P




ROSONE MULTIPLA Ø80CM MEMORY P



MEMORY G CADUTA
MEMORY G LIGHTDROP
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
1x21W E27
FBT
fluorescente
fluorescent
1 x E27 LED
LED light bulb



ROSONE MULTIPLA Ø60CM MEMORY G



ROSONE MULTIPLA Ø80CM MEMORY G



Mia

design Nicola Grandesso

Sospensione disponibile
nei seguenti colori opachi:
laccato verde (RAL 6024)
o laccato bianco (RAL 9003).
*Suspension available in
the following matt colours:
green lacquered (RAL 6024)
or white lacquered (RAL 9003).*






Mia

design Nicola Grandesso



ROSONE - CANOPY



MIA S LED
 48W 240Vac / 3900lm
 LED 3000 K
 bianco caldo
 warm white



MIA S
 1x160W R7s
 HDG
 alogena lineare 114 mm
 halogen linear 114 mm



Natural e Supernatural

design Nicola Grandesso


Lampadari in lattimo e tazzine in cristallo con bordo bianco. Montatura in metallo laccato bianco lucido (RAL 9003) e cromo.
I lampadari Supernatural non sono forniti di prolungamento catena con rosone.
Chandeliers in milkwhite with cups in clear glass with milkwhite rim. Structure in glossy white lacquered (RAL 9003) metal and chrome. For these chandeliers chain and canopy are not supplied.

NATURAL K14



Natural e Supernatural

design Nicola Grandesso



SUPERNATURAL K36



NATURAL K8




NATURAL KP24






Natural e Supernatural


design Nicola Grandesso




NATURAL K8
8 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
8 x G9 LED
LED light bulb




NATURAL K10
10 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
10 x G9 LED
LED light bulb




NATURAL K18
18 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
18 x G9 LED
LED light bulb




NATURAL KP18
18 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
18 x G9 LED
LED light bulb




NATURAL K14
14 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
14 x G9 LED
LED light bulb




NATURAL K24
24 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
24 x G9 LED
LED light bulb




NATURAL KP14
14 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
14 x G9 LED
LED light bulb



NATURAL KP24
24 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
24 x G9 LED
LED light bulb



SUPERNATURAL K36
36 x max 60W E14
HSGST/C/UB
alogeno chiara
clear halogen
36 x E14 LED
LED light bulb



NATURAL K6
6 x max 60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
6 x G9 LED
LED light bulb



Olimpia

design Oriano Favaretto

Diffusore in vetro satinato bianco.
Montatura in nichel spazzolato.
*Satined white glass shade.
Brushed nickel metal fitting.*




OLIMPIA A




OLIMPIA R

Olimpia


design Oriano Favaretto



OLIMPIA A
1x120W R7s
HDG
alogeno lineare 75 mm
halogen linear 75 mm



OLIMPIA S1/S1D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27 - PAR 30
HAGS/UB
1x24W E27
FBT
fluorescente
fluorescent
cavo elettrico 200 cm
cables lenght 200 cm
1 x E27 LED
LED light bulb




OLIMPIA R
1x205W E27
HSGST/C/UB
alogeno chiara
clear halogen
con variatore
with dimmer
1 x E27 LED
LED light bulb



Otto x Otto

design Francesco Dei Rossi

Vetro in cristallo extrachiario.
Montatura in metallo cromato.
Extraclear glass.
Chromed metal fitting.



OTTO X OTTO K8




OTTO X OTTO S3D

Otto x Otto

design Francesco Dei Rossi



OTTO X OTTO S4L



OTTO X OTTO S5L




Otto x Otto

design Francesco Dei Rossi

OTTO X OTTO K4+8+12



OTTO X OTTO A



OTTO X OTTO A2

Otto x Otto

design Francesco Dei Rossi



OTTO X OTTO P5



OTTO X OTTO P8




OTTO X OTTO P

OTTO X OTTO P13

Otto x Otto

design Francesco Dei Rossi



OTTO X OTTO F

OTTO X OTTO P

Otto x Otto

design Francesco Dei Rossi

OTTO X OTTO R1




OTTO X OTTO L




OTTO X OTTO T

Otto x Otto


design Francesco Dei Rossi




OTTO X OTTO A
1x33/60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




OTTO X OTTO A2
2x33/60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
2 x G9 LED
LED light bulb




OTTO X OTTO A3
3x33/60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb




OTTO X OTTO P8
8x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
8 x G9 LED
LED light bulb




OTTO X OTTO P13
13x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
13 x G9 LED
LED light bulb




OTTO X OTTO R1
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




OTTO X OTTO R3
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb




OTTO X OTTO F
1x35W-12V GY6,35
HSGST/UB/IB
alogeno bispina
halogen bi-pin
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
foro incasso \varnothing 4,5-5 cm
profondità minima 9 cm
trasformatore escluso
*recessed hole \varnothing 4,5-5 cm
min. depth 9 cm*
transformer not included




OTTO X OTTO K8
8x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
doppia accensione
double switch
8 x G9 LED
LED light bulb




OTTO X OTTO K4+8
12x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
doppia accensione
double switch
12 x G9 LED
LED light bulb




OTTO X OTTO K8+8
16x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
doppia accensione
double switch
16 x G9 LED
LED light bulb




OTTO X OTTO S1
1x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




OTTO X OTTO S1D
1x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
1 x G9 LED
LED light bulb




OTTO X OTTO S2D
2x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
2 x G9 LED
LED light bulb




OTTO X OTTO S3D
3x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
3 x G9 LED
LED light bulb



OTTO X OTTO S6D
6x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables length 200 cm
6 x G9 LED
LED light bulb




OTTO X OTTO K4+8+12
24x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
doppia accensione
double switch
24 x G9 LED
LED light bulb




OTTO X OTTO L
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




OTTO X OTTO P
1x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




OTTO X OTTO P5
5x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
5 x G9 LED
LED light bulb




OTTO X OTTO S3L
3x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb



OTTO X OTTO S4L
4x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
4 x G9 LED
LED light bulb



OTTO X OTTO S5L
5x33W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
5 x G9 LED
LED light bulb



OTTO X OTTO T
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb



Oxygene

design Francesco Dei Rossi

Base in lattimo, diffusore in vetro cristallo trasparente.
Glass base in milk-white, shade clear.




OXYGENE TO



OXYGENE LO


Oxygene

design Francesco De Rossi



OXYGENE LO
 1x46W E14
 HSGSA/C/UB
 alogena chiara
clear halogen
 1x40W E14
 IRP/S
 cupola argentata
decor silver sphere

CE
 ⊕
 IP 20



OXYGENE TO
 1x100W E27
 IAA/S
 cupola argentata
decor silver sphere
 1x77W E27
 HSGSA/C/UB
 alogena chiara
clear halogen

CE
 ⊕
 IP 20




PERLAGE A/P

Perlage

design Oriano Favaretto

PERLAGE R9
 Base in cristallo extrachiaro.
 Diffusore in vetro satinato bianco.
 Montatura in metallo cromato.
*Base in extraclear glass.
 Shade in satined white glass.
 Chromed metal fitting.*


PERLAGE A/P
 Lastra in cristallo extrachiaro
 con fascia sabbata.
 Diffusore in vetro satinato bianco.
 Montatura in metallo laccato bianco
 con particolari cromati.
*Sheet in extraclear glass with frosted band.
 Shade in satined white glass.
 White lacquered metal fitting
 with chromed details.*



PERLAGE A/P
 1x77W E27
 HSGSA/C/UB
 alogena chiara
clear halogen

1x18W G24d-2
 FSQ
 fluorescente
fluorescent

1 x E27 LED
LED light bulb



PERLAGE R9
 8x46W E14 +
 HSGSB/C/UB
 alogena chiara
clear halogen
 1x50W E27 - PAR 20
 HAGS/UB

doppia accensione
 con un variatore
*double switch
 with one dimmer*



PERLAGE R9



Peroni

design Ufficio Stile de Majo

Sospensione disponibile nelle seguenti misure:
Ø 14 cm altezza 30 cm e
Ø 16 cm altezza 40 cm nei seguenti colori:
bianco satinato, cristallo, cristallo sabbiato bordo
trasparente, cristallo con anelli molati,
cristallo "rigadin".

Montatura in metallo cromato.

Suspension available in two sizes:

Ø 14 cm height 30 cm and

Ø 16 cm height 40 cm, colours available:

satined white, clear, frosted with clear edge, clear

glass decorated with ground rings, clear "rigadin".

Chromed metal fitting.

PERONI A1

Diffusore disponibile nei seguenti colori: bianco
satinato, cristallo sabbiato bordo trasparente.

Montatura in metallo laccato bianco.

Shade available in the following colors:

satined white, frosted with clear edge.

White lacquered metal fitting.

PERONI S16

Peroni

design Ufficio Stile de Majo



PERONI S16



PERONI S14D6



PERONI A1



PERONI S16L

Peroni

design Ufficio Stile de Majo



PERONI S16

Peroni

design Ufficio Stile de Majò



Cristallo con anelli molati
Clear glass decorated with ground rings



Cristallo
Clear




Cristallo "rigadin"
Clear "rigadin"




Bianco satinato
White satin finish




Cristallo sabbiato bordo trasparente
Frosted with transparent edge




PERONI A1
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x14W E27
FBT
fluorescente fluorescent
1 x E27 LED
LED light bulb




PERONI S14
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x50W E27 - PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente fluorescent
1 x E27 LED
LED light bulb




PERONI S16
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27 - PAR 30
HAGS/UB
1x24W E27
FBT
fluorescente fluorescent
1 x E27 LED
LED light bulb




PERONI S14D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x50W E27 - PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
1 x E27 LED
LED light bulb




PERONI S16D3
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x75W E27 - PAR 30
HAGS/UB
3x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
3 x E27 LED
LED light bulb




PERONI S14D6
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x50W E27 - PAR 20
HAGS/UB
6x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
6 x E27 LED
LED light bulb




PERONI S16D6
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x75W E27 - PAR 30
HAGS/UB
6x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
6 x E27 LED
LED light bulb




PERONI S14L
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x50W E27 - PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente fluorescent
3 x E27 LED
LED light bulb




PERONI S16D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x75W E27 - PAR 30
HAGS/UB
1x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
1 x E27 LED
LED light bulb




PERONI S14D2
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
2x50W E27 - PAR 20
HAGS/UB
2x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
2 x E27 LED
LED light bulb



PERONI S16D2
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
2x75W E27 - PAR 30
HAGS/UB
2x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
2 x E27 LED
LED light bulb



PERONI S14D3
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x50W E27 - PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente fluorescent
cavo elettrico 200 cm
cables length 200 cm
3 x E27 LED
LED light bulb



PERONI S16L
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x75W E27 - PAR 30
HAGS/UB
3x24W E27
FBT
fluorescente fluorescent
3 x E27 LED
LED light bulb





POLI PÒ P8/A8

Poli pò

design Oriano Favaretto

Diffusore disponibile nei seguenti colori satinati:
bianco, giallo, blu, rosso Tangeri, acquamarine, rosso, verde.
Montatura in metallo cromato e nichelato per tutti i modelli.
*Satinated glass shade available in the following colour versions:
white, yellow, blue, Tanger red, aquamarine, red, green.
Chromed or nickel metal structure for all the models.*



POLI PÒ P3/A3



POLI PÒ P12/A12

Polì pò

design Oriano Favaretto



Bianco satinato
Satined white



Verde satinato
Satined green



Acquamarine satinato
Satined aquamarine



Blu satinato
Dark blue satined



Rosso satinato
Satined red



Rosso Tangeri satinato
Satined Tangeri red




Giallo satinato
Satined yellow




POLI PÒ A2

Poli pò


design Oriano Favaretto




POLI PÒ A1
1x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




POLI PÒ A2
2x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
2 x E14 LED
LED light bulb




POLI PÒ F
1x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




POLI PÒ L
1x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




POLI PÒ P3/A3
3x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
3 x E14 LED
LED light bulb



POLI PÒ P6/A6
6x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
6 x E14 LED
LED light bulb



POLI PÒ P8/A8
8x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
8 x E14 LED
LED light bulb



POLI PÒ P12/A12
12x40W E14
HSGSP/C/UB
alogeno chiara
clear halogen
12 x E14 LED
LED light bulb



POLI PÒ F



POLI PÒ L



POLI PÒ A1

Pro•secco

design Oriano Favaretto

Diffusori in vetro borosilicato cristallo.
Montatura in metallo cromato.
*Shades in borosilicate glass.
Chromed metal fitting.*

Pro•secco

design Oriano Favaretto



PRO•SECCO S19D





PRO•SECCO K19

Pro•secco

design Oriano Favaretto



PRO•SECCO A5



PRO•SECCO F



PRO•SECCO T2



PRO•SECCO A1

Pro•secco

LIGHTDROPS SYSTEM - Design Lucio de Majo
 PRO•SECCO - Design Oriano Favaretto

Elemento componibile in vetro borosilicato cristallo.
 Rosone disponibile in due misure: 60 cm o 80 cm
 in acciaio inox lucido con sorgente a LED.
*Modular elements made of borosilicate glass.
 Canopy available in two sizes: 60 cm or 80 cm
 in polished stainless steel with LED light bulb.*


• $\varnothing 60$
 23 5/8" •



ROSONE Ø60CM LED
 Canopy Ø60cm LED
 3x 8,7W 240Vac / 2300lm
 LED 3000 K
 bianco caldo
 warm white
 Max 15 vetri
 Max 15 glass




• $\varnothing 80$
 31 1/2" •



ROSONE Ø80CM LED
 Canopy Ø80cm LED
 3x 13W 240Vac / 3500lm
 LED 3000 K
 bianco caldo
 warm white
 Max 19 vetri
 Max 19 glass



• $\varnothing 60$
 23 5/8" •




max 200
 max 78 3/4"

15cm
 5 7/8" •

**PRO•SECCO LIGHTDROPS
 SYSTEM 60**

• $\varnothing 80$
 31 1/2" •



max 200
 max 78 3/4"


**PRO•SECCO LIGHTDROPS
 SYSTEM 80**




PRO•SECCO LIGHTDROPS SYSTEM

Pro•secco


design Oriano Favaretto




PRO•SECCO A5
5x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




PRO•SECCO F
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
foro incasso \varnothing 7,5 cm
trasformatore escluso
*recess hole \varnothing 7,5 cm
transformer not included*




PRO•SECCO K13
13x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore magnetico
magnetic transformer




PRO•SECCO K19
19x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore magnetico
magnetic transformer




PRO•SECCO P1
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettr. dimmerabile
electronic transformer dimmable




PRO•SECCO P4
4x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettr. dimmerabile
electronic transformer dimmable




PRO•SECCO S19D
19x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 150 cm
trasformatore elettronico
dimmerabile
*cables lenght 150 cm
electronic transformer dimmable*




PRO•SECCO T2
2x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




PRO•SECCO A1
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




PRO•SECCO A3
3x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




PRO•SECCO S1
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
trasformatore elettronico
electronic transformer




PRO•SECCO S1D
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S2D
2x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S3D
3x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S4D
4x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S5D
5x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S4DG
4x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
trasformatore elettronico
*cables lenght 200 cm
electronic transformer*




PRO•SECCO S13D
13x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
cavo elettrico 150 cm
trasform. elettr. dimmerabile
*cables lenght 150 cm
electronic transf. dimmable*




ROSONE MULTIPLØ Ø60CM
Multiple canopy Ø60cm
Max 15 vetri
Max 15 glass




ROSONE MULTIPLØ Ø80CM
Multiple canopy Ø80cm
Max 19 vetri
Max 19 glass



PRO•SECCO CADUTA G9
PRO•SECCO LIGHTDROP G9
1x48W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb



ROSONE MULTIPLØ Ø60CM PRO•SECCO G9



ROSONE MULTIPLØ Ø80CM PRO•SECCO G9

Stratosfera

design Oriano Favaretto

Diffusore in vetro bianco satinato.
Montatura in metallo verniciato grigio chiaro (RAL 7047).
Satinated white glass diffuser.
Structure in light grey painted metal (RAL 7047).



STRATOSFERA L25

STRATOSFERA T40





STRATOSFERA S40

STRATOSFERA S25



STRATOSFERA P25

STRATOSFERA P40



STRATOSFERA R40



STRATOSFERA R25



STRATOSFERA SV40

Stratosfera


design Oriano Favaretto



STRATOSFERA S25
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA S40
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA S50
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA S60
1x205W E27
HSGSA/C
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



STRATOSFERA R25
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA R40
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



STRATOSFERA SV40
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA P25
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



STRATOSFERA P40
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



STRATOSFERA L25
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




STRATOSFERA T40
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x116W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x30W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



Tommy

design Ufficio Stile de Majo

Diffusore disponibile nei seguenti colori:
bianco satinato, cristallo, cristallo sabbiato
bordo trasparente. Montatura in metallo cromato.
*Glass shade available in the following
colours: satined white, clear, frosted with
clear edge. Chromed metal fitting.*



TOMMY S
1x70W E27
HSGSG/C
alogeno Globolux chiara
clear halogen Globolux
1x75W E27-PAR 30
HAGS/UB
1x18W E27
FBG
globe fluorescent
1 x E27 LED
LED light bulb



TOMMY S

Vivace

design Francesco Dei Rossi - Lucio de Majo

Vetro disponibile nei seguenti colori:
bianco e cristallo con montatura
in metallo laccato bianco lucido,
nero e cristallo con montatura dorata.
*Glass available in the following colours:
milkwhite and clear glass with glossy
white lacquered structure, black
and clear glass with gold structure.*



Vivace

design Francesco Dei Rossi - Lucio de Majo




VIVACE K8




Vivace


design Francesco Dei Rossi - Lucio de Majo




VIVACE A1
1 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
1 x E14 LED
LED light bulb




VIVACE K6
6 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
6 x E14 LED
LED light bulb




VIVACE K8
8 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
8 x E14 LED
LED light bulb



VIVACE K9
9 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
9 x E14 LED
LED light bulb



VIVACE K12
12 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
12 x E14 LED
LED light bulb



VIVACE K16
16 x max 46W E14
HSGST/C/UB
alogeno chiara
clear halogen
16 x E14 LED
LED light bulb



Xilo XXilo

design Ufficio Stile de Majo

XILO

Diffusore disponibile in cristallo sabbato
oppure molato e sabbato.
Montatura in metallo cromato.
*Shade available in frosted glass or
clear with ground and frosted band.
Chromed metal fitting.*

XXILO

Diffusore disponibile in cristallo
molato e sabbato.
Montatura in metallo cromato.
*Shade available in clear glass
with ground and frosted band.
Chromed metal fitting.*



XXILO S



XILO S20



XILO S10


Xilo

design Ufficio Stile de Majo

Diffusore disponibile in cristallo
sabbiato oppure molato e sabbiato.
Montatura in metallo cromato.
*Shade available in frosted glass
or clear with ground and frosted band.
Chromed metal fitting.*



XILO A10



XILO R20

Xilo

design Ufficio Stile de Majo




XILO T10




XILO R10

Xilo


Design Ufficio Stile de Majò




XILO A10
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




XILO R10
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
con varialuce
with dimmer
1 x E27 LED
LED light bulb




XILO S10
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x50W E27 PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




XILO S10D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x50W E27 PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables length 200 cm
1 x E27 LED
LED light bulb




XILO T10
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




XILO R20
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x205W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
con varialuce
with dimmer
1 x E27 LED
LED light bulb




XILO S10D2
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
2x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
2x50W E27 PAR 20
HAGS/UB
2x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables length 200 cm
2 x E27 LED
LED light bulb




XILO S10D3
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
3x50W E27 PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables length 200 cm
3 x E27 LED
LED light bulb




XILO S10D6
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
6x50W E27 PAR 20
HAGS/UB
6x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables length 200 cm
6 x E27 LED
LED light bulb



XILO S10L
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
3x50W E27 PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente *fluorescent*
3 x E27 LED
LED light bulb



XILO S20
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




XILO S20D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x75W E27 PAR 30
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables length 200 cm
1 x E27 LED
LED light bulb




XILO S10

XXilo


design Ufficio Stile de Majo




XXILO R
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
con variatore
with dimmer
1 x E27 LED
LED light bulb




XXILO S
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x50W E27 PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb




XXILO S1D
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x50W E27 PAR 20
HAGS/UB
1x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
1 x E27 LED
LED light bulb




XXILO SD2
2x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
2x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
2x50W E27 PAR 20
HAGS/UB
2x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
2 x E27 LED
LED light bulb





XXILO SD3
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
3x50W E27 PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
3 x E27 LED
LED light bulb



XXILO SD6
6x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
6x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
6x50W E27 PAR 20
HAGS/UB
6x24W E27
FBT
fluorescente *fluorescent*
cavo elettrico 200 cm
cables lenght 200 cm
6 x E27 LED
LED light bulb



XXILO S3L
3x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
3x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
3x50W E27 PAR 20
HAGS/UB
3x24W E27
FBT
fluorescente *fluorescent*
3 x E27 LED
LED light bulb



XXILO T
1x77W E27
HSGSA/C/UB
alogeno chiara
clear halogen
1x150W E27
HSGST/C/UB
alogeno chiara
clear halogen
1x24W E27
FBT
fluorescente *fluorescent*
1 x E27 LED
LED light bulb



XXILO S

Zabriskie Point

Design Denis Santachiara

Diffusori in vetro cristallo extrachiaro.
Montatura in metallo cromato.
*Diffuser in extraclear glass.
Structure in chromed metal.*







ZABRISKIE POINT S

Zabriskie Point

design Denis Santachiara



ZABRISKIE POINT S
 10x20W-12V G4
 HSGST/UB
 alogena bispina
halogen bi-pin
 trasformatore elettronico
electronic transformer
 10 x G4 LED
LED light bulb



ZABRISKIE POINT SG
 10x60W G9
 HSGST/C/UB
 alogena bispina
halogen bi-pin
 trasformatore elettronico
electronic transformer
 10 x G9 LED
LED light bulb





Recessed light




Lampade da incasso



Adamas

design Ufficio Stile de Majo

Diffusore disponibile nei seguenti colori:
cristallo, ambra e ambrato.
*Shade available in the following colours:
clear, dark amber and light amber.*




Cristallo
Clear



Ambra
Dark amber



Ambrato
Light amber



ADAMAS F
1x50W GU10
HAGS/UB
alluminio *aluminium*
1 x GU10 LED
LED light bulb

CE



IP20

1x50W GU5,3
HAGS/UB
1 x GU5,3 LED
LED light bulb

CE



IP20

foro incasso \varnothing 6,5 cm
profondità minima 12 cm con alogena
profondità minima 9 cm con LED
trasformatore escluso
*recessed hole \varnothing 6,5 cm
min. depth 12 cm with halogen
min. depth 9 cm with LED
transformer not included*



Auge

design Ufficio Stile de Majo

Diffusore disponibile nei seguenti colori:
 cristallo, ambra e ambrato.
*Shade available in the following colours:
 clear, dark amber and light amber.*




Cristallo
Clear



Ambra
Dark amber



Ambrato
Light amber



AUGE F
 1x50W GU10
 HAGS/UB
 alluminio *aluminium*
 1 x GU10 LED
 LED light bulb



1x50W GU5,3
 HAGS/UB
 1 x GU5,3 LED
 LED light bulb



foro incasso \varnothing 6,5 cm
 profondità minima 12 cm con alogena
 profondità minima 9 cm con LED
 trasformatore escluso
*recessed hole \varnothing 6,5 cm
 min. depth 12 cm with halogen
 min. depth 9 cm with LED
 transformer not included*



Tile

design Ufficio Stile de Majo

Diffusore disponibile nei seguenti colori:
cristallo, ambra e ambrato.
*Shade available in the following colours:
clear, dark amber and light amber.*




Cristallo
Clear



Ambra
Dark amber



Ambrato
Light amber



TILE F
1x50W GU10
HAGS/UB
alluminio *aluminium*
1 x GU10 LED
LED light bulb



1x50W GU5,3
HAGS/UB
1 x GU5,3 LED
LED light bulb



foro incasso \varnothing 6,5 cm
profondità minima 12 cm con alogena
profondità minima 9 cm con LED
trasformatore escluso
*recessed hole \varnothing 6,5 cm
min. depth 12 cm with halogen
min. depth 9 cm with LED
transformer not included*



Cheese

design Oriano Favaretto

Lastra in cristallo extrachiaro.
Montatura in metallo cromato e verniciato grigio artico.
*Plate in extraclear glass.
Chromed and lacquered artic-grey metal structure.*



CHEESE F3
3x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin

3 x G4 LED
LED light bulb

foro incasso \varnothing 8 cm
profondità minima 5 cm
trasformatore escluso
*recessed hole \varnothing 8 cm
min. depth 5 cm
transformer not included*

CE



IP 20



Lumè

design Nicola Grandesso

LUMÈ SF/SFWD
Diffusore in vetro cristallo trasparente o lattimo.
Montatura in metallo cromato.
*Shade in clear glass or milk-white glass.
Chromed metal fitting.*



LUMÈ SF
LUMÈ SFWD
1x46W E14
HSGSP/C/UB
alogeno chiara
clear halogen

1 x E14 LED
LED light bulb

foro incasso \varnothing 4,5 cm
recessed hole \varnothing 4,5 cm

CE




IP 20



Memory

design Lucio de Majo

MEMORY XXS
Diffusore in vetro cristallo.
Montatura in metallo cromato.
Shade in clear glass.
Chromed metal fitting.



MEMORY XXS F
1x20W-12V G4
HSGST/UB
alogen a bispina
halogen bi-pin
1 x G4 LED
LED light bulb


foro incasso \varnothing 4,5 cm
profondità minima 5 cm
trasformatore escluso
recessed hole \varnothing 4,5 cm
min. depth 5 cm
transformer not included




Otto x Otto

design Francesco Dei Rossi

Vetro in cristallo extrachiario.
Montatura in metallo cromato.
Extraclear glass.
Chromed metal fitting.




OTTO X OTTO F
1x35W-12V GY6,35
HSGST/UB/IB
alogen a bispina
halogen bi-pin
1x20W-12V G4
HSGST/UB
alogen a bispina
halogen bi-pin
foro incasso \varnothing 4,5-5 cm
profondità minima 9 cm
trasformatore escluso
recessed hole \varnothing 4,5-5 cm
min. depth 9 cm
transformer not included



Pro•secco

design Oriano Favaretto

Diffusori in vetro borosilicato cristallo.
Montatura in metallo cromato.
*Shades in borosilicate glass.
Chromed metal fitting.*



PRO•SECCO F
1x20W-12V G4
HSGST/UB
alogeno bispina
halogen bi-pin
foro incasso \varnothing 7,5 cm
recess hole \varnothing 7,5 cm
transformer not included

CE




IP 20



San Siro

design Ufficio Stile de Majo

Vetro in cristallo extrachiaro.
Montatura disponibile in metallo
laccato grigio artico (RAL 9006)
o laccato bianco (RAL 9003)
entrambi con particolari cromo.
*Extraclear glass.
Structure available in
lacquered metal artic-grey
(RAL 9006) or lacquered
white (RAL 9003)
with chromed details.*



SAN SIRO F
1x100W G53
HMGS/UB
halospot 111
1 x G53 LED
LED light bulb

CE



IP 20



foro incasso \varnothing 9 cm
profondità minima 5 cm
trasformatore escluso
*recess hole \varnothing 9 cm
min. depth of recessed hole 5 cm*
transformer not included





SPOKE MINI F1




SPOKE MINI F3



Spoke


design Luca Ferretto

SPOKE MINI
Diffusore in cristallo.
Montatura in metallo laccato nero con
profilo in alluminio.
Forcella in polimetilmetacrilato
(PMMA) trasparente.
*Diffuser in clear glass.
Metal black lacquered fitting with
aluminium profile.
Structure in transparent
polymethymethacrylate (PMMA).*



SPOKE MINI F1
1x100W G53
HMGS/UB
halospot 111
1 x G53 LED
LED light bulb

foro incasso 17x17 cm
profondità minima 10 cm
trasformatore escluso
*recessed hole 17x17 cm
min. depth 10 cm
transformer not included*



SPOKE MINI F3
3x100W G53
HMGS/UB
halospot 111
3 x G53 LED
LED light bulb

foro incasso 17x54 cm
profondità minima 10 cm
trasformatore escluso
*recessed hole 17x54 cm
min. depth 10 cm
transformer not included*






Minimal

Bilbao

design Carlo Nason

Lampada da terra in HPL nero, placcato esterno alluminio lucido specchiato e interno bianco opaco.
Base in metallo laccato nero opaco (RAL 9005).
Floor lamp in black plated HPL - exterior in polished mirrored aluminium - interior matt white.
Base in matt-black lacquered metal (RAL 9005).



BILBAO R
1x100W E27 +
HSGST/C/UB
alogeno chiara
clear halogen
1x50W E27 PAR 20
HAGS/UB
con varialuce
with dimmer

CE



IP20




Blade

design Francesco Dei Rossi

Applique in alluminio satinato naturale,
con possibilità di regolazione
del fascio luminoso inferiore.

*Wall lamp either in natural satined
aluminium, possibility of regulation
of down light distribution.*



BLADE AO
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb



Boa

design Oriano Favaretto

Diffusore in vetro borosilicato serigrafato.
Montatura disponibile in metallo cromato,
verniciato bianco lucido (RAL 9003),
verniciato nero lucido (RAL 9005),
verniciato marrone lucido (RAL 8014),
verniciato grigio lucido (RAL 7016).

Diffuser in borosilicate glass with screen painting.

*Structure available in chromed metal,
polished white lacquered (RAL 9003),
polished black lacquered (RAL 9005),
polished brown lacquered (RAL 8014),
polished grey lacquered (RAL 7016).*



BOA S





BOA S3L




BOA S

BOA S


BOA S

Boa


design Oriano Favaretto




BOA S
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb




BOA S1D
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
1 x G9 LED
LED light bulb




BOA S2D
2x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
2 x G9 LED
LED light bulb




BOA S3D
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
3 x G9 LED
LED light bulb




BOA S4D
4x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
4 x G9 LED
LED light bulb




BOA S5D
5x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
5 x G9 LED
LED light bulb




BOA S6D
6x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
cavo elettrico 300 cm
cables length 300 cm
6 x G9 LED
LED light bulb




BOA S3L
3x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
3 x G9 LED
LED light bulb




BOA R
1x160W R7s
HDG
alogeno lineare 114 mm
halogen linear 114 mm
con variatore
with dimmer




ROSONE MULTIPLO Ø60CM
Multiple canopy Ø60cm
Max 15 vetri
Max 15 glass




ROSONE MULTIPLO Ø80CM
Multiple canopy Ø80cm
Max 19 vetri
Max 19 glass



**BOA CADUTA
BOA LIGHTDROP**
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin
1 x G9 LED
LED light bulb



**ROSONE MULTIPLO
Ø60CM BOA**





**ROSONE MULTIPLO
Ø80CM BOA**

BOA R

Jazz

design Ufficio Stile de Majo

Lastra in cristallo extrachiario con sabbiatura interna. Montatura in acciaio spazzolato.
Sheet in extraclear glass frosted on the internal side. Brushed steel fitting.



JAZZ 45-17




Jazz


design Ufficio Stile de Majo




JAZZ 45-17



JAZZ A 36-17
2x24W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
portata massima 2 kg
electronic ballast
maximum capacity 4,40 lbs



JAZZ A 45-17
2x36W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
portata massima 2 kg
electronic ballast
maximum capacity 4,40 lbs




JAZZ A 58-17
2x55W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
portata massima 2 kg
electronic ballast
maximum capacity 4,40 lbs



Linear 2


design Ufficio Stile de Majo

Lastra in cristallo extrachiaro con fascia sabbata.
 Montatura in metallo laccato grigio artico (RAL 9006) con particolari cromati.
*Sheet in extraclear glass with frosted band.
 Artic-grey lacquered (RAL 9006) fitting
 with chromed details.*



LINEAR 2 S95 CE
 2x39W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
electronic ballast

LINEAR 2 S95 ED CE
 2x39W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
 dimmerabile
electronic ballast dimmable



LINEAR 2 S125 CE
 2x54W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
electronic ballast

LINEAR 2 S125 ED CE
 2x54W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
 dimmerabile
electronic ballast dimmable




Plana Plus

design Ufficio Stile de Majo


Lastra in cristallo extrachiaro.
Montatura in metallo laccato grigio artico
(RAL 9006) con particolari cromati.
*Sheet in extraclear glass.
Artic-grey lacquered (RAL 9006)
fitting with chromed details.*

PLANA PLUS S140




Plana Plus

design Ufficio Stile de Majo




PLANA PLUS S110



PLANA PLUS S110
2x39W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast



PLANA PLUS S110 ED
2x39W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast dimmable



PLANA PLUS S140
2x54W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast



PLANA PLUS S140 ED
2x54W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast dimmable



Quadra

design Ufficio Stile de Majo

Lastra in cristallo extrachiaro serigrafato bianco.
Montatura in metallo verniciato grigio artico (RAL 9006).
Sheet in extraclear glass with white screen printing.
Artic-grey lacquered metal fitting (RAL 9006).


QUADRA S110



QUADRA A/P 44

Quadra

design Ufficio Stile de Majo



QUADRA A/P 44
44E
4x18W 2G11
FSDH
fluorescente *fluorescent*
alimentatore elettronico
electronic ballast





QUADRA A/P 44
44 EMERGENZA E
4x18W 2G11
FSDH
fluorescente *fluorescent*
alimentatore elettronico
+ kit di emergenza
electronic ballast
+ *emergency control gear*



QUADRA S110
2x39W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast



QUADRA S110 ED
2x39W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



QUADRA A/P 54
54E
4x36W 2G11
FSDH
fluorescente *fluorescent*
alimentatore elettronico
electronic ballast



QUADRA A/P 54
54ED
4x36W 2G11
FSDH
fluorescente *fluorescent*
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



QUADRA A/P 54
54 EMERGENZA E
4x36W 2G11
FSDH
fluorescente *fluorescent*
alimentatore elettronico
+ kit di emergenza
electronic ballast
+ *emergency control gear*



Riga

design Ufficio Stile de Majo


Lastra in polimetilmetacrilato (PMMA) accoppiato trasparente e bianco. Montatura in metallo laccato bianco con particolari in acciaio spazzolato.

Diffuser in transparent and white polymethylmethacrylate (PMMA). White lacquered metal structure with brushed steel details.



RIGA A0/PO


RIGA A2/P2



RIGA A3/P3

Riga

design Ufficio Stile de Majo



RIGA A0/PO
2x24W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast



RIGA A0/PO ED
2x24W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



RIGA A1/P1
2x24W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast




RIGA A1/P1 ED
2x39W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



RIGA A2/P2
2x54W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast



RIGA A2/P2 ED
2x54W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



RIGA A3/P3
4x24W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
electronic ballast




RIGA A3/P3 ED
4x24W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
dimmerabile
electronic ballast
dimnable



Righetta

design Ufficio Stile de Majo

Lastra in cristallo extrachiaro
con fascia sabbiata.
Montatura in metallo nichel spazzolato.
*Sheet in extraclear glass with frosted
band. Brushed nickel metal fitting.*




RIGHETTA A42
1x120W R7s
HDG
alogeno lineare 114 mm
halogen linear 114 mm

CE



IP40

ADA




RIGHETTA A85
1x55W 2G11
FSDH
fluorescente
fluorescent
alimentatore elettronico
electronic ballast

CE



IP40

ADA



RIGHETTA A42

San Siro

design Ufficio Stile de Majo

Vetro in cristallo extrachiaro.
Montatura disponibile in metallo laccato
grigio artico (RAL 9006) o laccato bianco
(RAL 9003) entrambi con particolari cromo.
*Extraclear glass. Structure available in
lacquered metal artic-grey (RAL 9006)
or lacquered white (RAL 9003) with
chromed details.*





SAN SIRO S6

San Siro

design Ufficio Stile de Majo





SAN SIRO R1


San Siro

design Ufficio Stile de Majo


Caratteristica del prodotto è la possibilità di orientare il diffusore secondo due assi.
The characteristic of this product is the option to direct the diffuser towards two axis.




SAN SIRO A1/P1
 1x100W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 dimmerabile
electronic transformer dimmable
 1 x G53 LED
 LED light bulb




SAN SIRO A2/P2
 2x100W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 dimmerabile
electronic transformer dimmable
 2 x G53 LED
 LED light bulb




SAN SIRO F
 1x100W G53
 HMGS/UB
 halospot 111
 foro incasso \varnothing 9 cm
 profondità minima 5 cm
 trasformatore escluso
*recess hole \varnothing 9 cm
 min. depth of recessed hole 5 cm
 transformer not included*
 1 x G53 LED
 LED light bulb



SAN SIRO R1
 1x100W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 con varialuce
*electronic transformer
 with dimmer*
 1 x G53 LED
 LED light bulb



SAN SIRO S4
 4x50W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 dimmerabile
electronic transformer dimmable
 4 x G53 LED
 LED light bulb



SAN SIRO S6
 6x50W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 dimmerabile
electronic transformer dimmable
 6 x G53 LED
 LED light bulb



SAN SIRO F



SAN SIRO A2/P2



SPOKE A1/P1 G53-12V

Spoke

design Luca Ferretto

SPOKE A1/P1
Diffusore in cristallo. Montatura in metallo cromato e polimetilmetacrilato (PMMA) trasparente.
Diffuser in clear glass. Structure in chromed metal and transparent polymethylmethacrylate (PMMA).

SPOKE R1
Diffusore in cristallo. Forcella in polimetilmetacrilato (PMMA) trasparente. Montatura in metallo laccato grigio artico.
Diffuser in clear glass. Structure in transparent polymethylmethacrylate (PMMA). Lacquered artic-grey metal fitting.



SPOKE A1/P1 E27




SPOKE A1/P1 CDM



Spoke

design Luca Ferretto

SPOKE R1




SPOKE A1/P1 G53-12V CEE
 1x100W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 dimmerabile
electronic transformer dimmable
 1 x G53 LED
LED light bulb



SPOKE A1/P1 E27 CEE
 1x75W E27 - PAR 30
 HAGS/UB
 1 x E27 LED
LED light bulb



SPOKE A1/P1 CDM CEE
 1x35W GX8,5
 MRS/UB
 scarica
metal halide
high intensity discharge
 alimentatore elettronico
electronic ballast



SPOKE R1 CEE
 1x100W G53
 HMGS/UB
 halospot 111
 trasformatore elettronico
 con variatore
electronic transformer
with dimmer
 1 x G53 LED
LED light bulb



Spoke

design Luca Ferretto


SPOKE MINI

Diffusore in cristallo. Montatura in metallo laccato nero con profilo in alluminio. Forcella in polimetilmetacrilato (PMMA) trasparente.


Diffuser in clear glass. Metal black lacquered fitting with aluminium profile. Structure in transparent polymethylmethacrylate (PMMA).

SPOKE MINI F1

SPOKE MINI F3



SPOKE MINI F1
 1x100W G53
 HMGS/UB
 halospot 111
 foro incasso 17x17 cm
 profondità minima 10 cm
 trasformatore escluso
*recessed hole 17x17 cm
 min. depth 10 cm
 transformer not included*
 1 x G53 LED
 LED light bulb





SPOKE MINI F3
 3x100W G53
 HMGS/UB
 halospot 111
 foro incasso 17x54 cm
 profondità minima 10 cm
 trasformatore escluso
*recessed hole 17x54 cm
 min. depth 10 cm
 transformer not included*
 3 x G53 LED
 LED light bulb



Tau

design Ufficio Stile de Majo

Lastra in cristallo extrachiaro.
Montatura in acciaio spazzolato.
Sheet in extraclear glass.
Brushed steel fitting.




TAU A
1x60W G9
HSGST/C/UB
alogeno bispina
halogen bi-pin



Thin 2

design Ufficio Stile de Majo


Lastra in cristallo extrachiaro con fascia sabbiata.
 Montatura in metallo laccato grigio artico (RAL 9006) con particolari cromati.
Sheet in extraclear glass with frosted band.
Artic-grey lacquered (RAL 9006) fitting with chromed details.



THIN 2 S100
 2x39W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
electronic ballast



THIN 2 S100 ED
 2x39W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
 dimmerabile
electronic ballast dimmable



THIN 2 S130
 2x54W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
electronic ballast




THIN 2 S130 ED
 2x54W G5
 FDH
 fluorescente lineare T5
T5 linear fluorescent
 alimentatore elettronico
 dimmerabile
electronic ballast dimmable



Zip

design Ufficio Stile de Majo

Lampada in alluminio lucido.
Lamp in polished aluminium.



ZIP A/P
1x24W G5
FDH
fluorescente lineare T5
T5 linear fluorescent
alimentatore elettronico
electronic ballast

CE






































⊕

IP 20

ADA




LAMPADINE CONSIGLIATE
RECOMMENDED BULBS


			attacco socket				attacco socket
	alogeno chiara clear halogen	HSGSB/C/UB	E14		alogeno PAR 16 halogen PAR 16	HAGS/UB	E14
	alogeno chiara clear halogen	HSGSP/C/UB	E14		fluorescente fluorescent	FBT	E27
	sferetta argentata decor silver little sphere	IRP/S	E14		fluorescente fluorescent	FBT	E14
	alogeno chiara clear halogen	HSGST/C/UB	E14		globe fluorescente globe fluorescent	FBG	E27
	alogeno chiara clear halogen	HSGSA/C/UB	E27		fluorescente fluorescent	FSQ	G24
	goccia argentata decor silver sphere	IAA/S	E27		fluorescente fluorescent	FSMH	GX24
	alogeno Globolux chiara clear halogen Globolux	HSGSG/C	E27		fluorescente lineare T5 linear fluorescent	T5	FDH G5
	incandescenza SPOT R80 incandescent SPOT R80	IRR/N	E27		fluorescente fluorescent	FSS	2G10
	incandescenza SPOT R50 incandescent SPOT R50	IRR	E14		fluorescente fluorescent	FSDH	2G11
	alogeno lineare mm 75 halogen linear	HDG	R7s		alogeno dicroica dichroic	HAGS/UB	GU5,3
	alogeno lineare mm 114 halogen linear	HDG	R7s		alluminio aluminium	HAGS/UB	GU5,3
	scarica alogenuri metallici metal halide high intensity discharge	MD/UB	RX7s-24		con riflettore PAR 16 with PAR 16 reflector	HAGS/UB	GU10
	alogeno bi-spina halogen bi-pin	HSGST/UB	G4		halospot 111	HMGS/UB	G53
	alogeno bi-spina halogen bi-pin	HSGST/UB/IB	GY6,35		scarica alogenuri metallici metal halide high intensity discharge	MT/UB	G12
	alogeno bi-spina halogen bi-pin	HSGST/C/UB	G9		scarica alogenuri metallici metal halide high intensity discharge	MT/UB	G8,5
	alogeno chiara clear halogen	HSGST/C/UB	E27		scarica alogenuri metallici metal halide high intensity discharge	MRS/UB	GX8,5
	alogeno PAR 30 halogen PAR 30	HAGS/UB	E27		LED LED		
	alogeno PAR 20 halogen PAR 20	HAGS/UB	E27		LED SPOT AR111		G53
					LED PIN		G9


Le lampadine indicate sono quelle consigliate dalla DE MAJO ILLUMINAZIONE S.r.l. Con l'uso delle lampadine fluorescenti, la qualità estetica del prodotto potrà risultare meno appropriata.


The above bulbs are those recommended by DE MAJO ILLUMINAZIONE S.r.l. The use of fluorescent bulbs might alter the aesthetic quality of the product.


SIMBOLOGIA
SYMBOLS


 **La marcatura "CE" voluta dalla Comunità Europea con direttiva 93/68/CEE attesta la conformità dell'apparecchio ai requisiti richiesti dalle norme tecniche.**
The "CE" mark required by the European Community with the 93/68/CEE directive states that the luminaire complies with the European technical requirements.


 **Apparecchio nel quale la protezione contro la scossa elettrica si basa oltre che dall'isolamento principale anche dalla connessione delle parti conduttrici accessibili ad un conduttore di protezione dell'impianto elettrico fisso.**
Luminaire in which protection against electric shock does not rely on basic insulation only, but which are provided for the connection of accessible conductive parts to the protective conductor in the fixed wiring of the installation.


 **Apparecchio dotato di protezione contro la scossa elettrica basata sull'isolamento fondamentale e su misure supplementari quali il doppio isolamento rinforzato.**
The protection against electrical shocks of this luminaire is achieved by simple insulation and some other devices such as double insulation or reinforced insulation. There is no earth cable provided.


 **Apparecchio dotato di protezione contro la scossa elettrica basata sul fatto che in ogni punto dell'apparecchio la tensione di alimentazione e/o di funzionamento è inferiore a 50V.**
The protection against electric shocks of this luminaire is achieved by every component having a start/functioning voltage of less than 50VA.


 **Apparecchio non predisposto per il montaggio diretto su superfici normalmente incombustibili.**
Luminaire not suitable for direct mounting onto normally inflammable surfaces.


 **Indica che si possono installare delle lampadine a basso consumo di energia (tipo fluorescenti).**
This indicates you can use energy saving lamps (fluorescent lamps).


 **Apparecchio dotato di involucro protetto contro la penetrazione di corpi solidi superiori a 12 mm e non protetto contro la penetrazione di liquidi.**
The enclosure of this luminaire is protected against solid objects up to than 12 mm, no special protection provided against penetration of water.

 **Apparecchio dotato di involucro protetto contro la penetrazione di corpi solidi con dimensioni superiori a 2,5 mm e non protetto contro la penetrazione di liquidi.**
The enclosure of this luminaire is protected against solid objects up to than 2,5 mm, no special protection provided against penetration of water.

 **Apparecchio dotato di involucro protetto contro la penetrazione di corpi solidi con dimensioni superiori a 1 mm e non protetto contro la penetrazione di liquidi.**
The enclosure of this luminaire is protected against solid objects up to than 1 mm, no special protection provided against penetration of water.

 **Apparecchio dotato di involucro protetto contro la penetrazione di corpi solidi con dimensioni superiori a 1 mm e protetto contro gli spruzzi.**
The enclosure of this luminaire is protected against solid objects bigger than 1 mm and against splashes.

 **Apparecchio totalmente protetto contro la polvere e contro le ondate di acqua marina.**
Enclosure rated as dust tight and protected against heavy seas or powerful jets of water.

 **Apparecchio da dotare di lampadine tipo alogene autoprotette (a bassa pressione).**
This luminaire requires self-shielded tungsten halogen lamps (low pressure).

 **American Disability Act**

 **Certificato GOST-R**
GOST-R certificate

 **C-UL-US. Marchio di Conformità del prodotto ai requisiti di sicurezza canadesi e statunitensi.**
C-UL-US. This Listing Mark shows that the product is compliance with both Canadian and US safety standards.

 **Il Marchio del Vetro Artistico di Murano.**
The Vetro Artistico di Murano trademark.


ø: diametro diameter
l: larghezza width

h: altezza height
s: sporgenza protusion


Ferme restando le caratteristiche basilari del prodotto, DE MAJO ILLUMINAZIONE S.r.l. si riserva di apportare modifiche in ogni momento al solo scopo di miglioramento.

While maintaining the basic characteristics of the product, DE MAJO ILLUMINAZIONE S.r.l. reserves the right to make modifications at any time with the sole aim of improvement.


ETICHETTE ENERGETICHE
ENERGY LABELS




BABOL
BELL
CARRÈ
CHARLOTTE
CHÉRIE
COSMOSPORA
GEMMA
GOUTTE
LOLLI
LUMÈ
LUMÈ DARK MOON
MEMORY
NATURAL
SUPERNATURAL
OLIMPIA
OTTO X OTTO
PERLAGE A/P
PERONI
POLI PÒ




PRO•SECCO RM 60
PRO•SECCO RM 80
STRATOSFERA
TOMMY
VIVACE
XILO
XXILO
ZABRISKIE POINT
ADAMAS
AUGE
TILE
CHEESE F3
MEMORY XXS F
SAN SIRO
SPOKE
SPOKE MINI
BLADE
BOA




CANNETTATA
CHARLOTTE LS 60
CHARLOTTE LS 80
DAKOTA LED
MIA LED
PRO•SECCO LS 60
PRO•SECCO LS 80




AKEMI
BICE
DIAPHANÈS
BERNINI
DOME




CANNETTATA S42 HALO.
CANNETTATA S52 HALO.
CHARLOTTE R1
CHEESE
DAKOTA G9
MEMORY A1
MEMORY R1
MEMORY XXS
MIA



OLIMPIA A
OTTO X OTTO F
OXYGENE
PERLAGE R9
PRO•SECCO
BILBAO
BOA R
TAU



JAZZ
LINEAR 2
PLANA PLUS
QUADRA
RIGA



RIGHETTA
SPOKE A1/P1 CDM
THIN 2
ZIP

г. Москва

Отдел розничных продаж:

+7(495) 662-56-76

+7(800) 100-75-80 (бесплатно по РФ)

info@vamsvet.ru

Отдел оптовых продаж:

+7(495) 646-72-36 (доб. 309, 311)

tech@vamopt.ru

tech@vamelectro.ru

Отдел по работе с дизайнерами, архитекторами:

+7(495) 646-72-36 (доб. 304, 305)

design@vamopt.ru

Отдел по работе с торговыми точками:

+7(495) 646-72-36 (доб. 310, 308)

market@vamopt.ru

Отдел по работе с интернет-магазинами:

+7(495) 660-33-92 (доб. 351, 352, 353)

ecom@vamsvet.ru

Служба доставки:

+7(495) 419-06-12

г. Санкт-Петербург

Обособленное подразделение:

+7(812) 648-48-47 (доб. 322, 323, 324, 325,
326, 327)

Отдел оптовых продаж:

spbtech@vamopt.ru

spbtech@vamelectro.ru

Отдел по работе с дизайнерами, архитекторами:

spbdesign@vamopt.ru

Отдел по работе с торговыми точками:

spbmarket@vamopt.ru

Отдел по работе с интернет-магазинами:

ecom@vamsvet.ru

Служба доставки:

8(812) 648-48-47

8(800) 350-45-95