



# НИКА

ОСВЕЩАЕМ ГОРОДА

## НЕМО

### Каталог Synthesis 2015



# НЕМО


8 (800) 302-03-60

[www.nika.group](http://www.nika.group)

[info@nika.group](mailto:info@nika.group)



*Euroluce*  
2015



*UFO Unidentified flying objects,  
find their own identity through  
merging into luminous  
sculptural objects.*



OLYMPIA

*design* Doriana e Massimiliano Fuksas


Next **Vision**



# KEPLER


*design* Arihiro Miyake

---



*A suspended experimental  
form of geometry,  
where a self-contained  
tri-dimensional line creates a new  
type of mathematical harmony.*

Next **Vision**



One of many gems that the Charlotte Perriand archives have been preserving. Designed for her flat in Rio de Janeiro in 1963, this project represents the synthesis of her love for Japan and Brazil, two cultures that made a lasting impression on her, two opposite worlds that she knew how to mix harmoniously and which she was in resonance with but never influenced by. Rio was sketched on a paper tablecloth in a Bistrot in Bahia.

RIO  
design Charlotte Perriand 1963



A photograph of three people (two men and one woman) working together in a workshop or studio. They are focused on their work, with one person holding a small object and another working with a long, curved strip of material. The entire image is overlaid with a strong red tint. The background shows shelves with various items, suggesting a creative or industrial environment.

CONTEMPORARY

synthesis *selection*

# ALYA

Gabriele Rosa



Indirect lighting LED suspension lamp. Arms in extruded aluminium, central body in die-casted aluminium. Diffuser in opaline methacrylate.  
Available in white or matt black. Dali on request.

LED 35W - 5000lm - 3000°K - 110/230V - dimmable



ALYA BLACK



ALYA WHITE AND DETAILS




# IN THE WIND

Arihiro Miyake

Floor and pendant lamp for a diffused and warm LED emission. Body manufactured through a technology of torsion and misalignment of the aluminum extruded bar (patent pending). Heads in die-casted aluminium. Diffusers in opal metacrylate. Available in matt white or black. Switch and dimmer on the cable for the floor version.

LED 3x20W - 5700lm - 3000°K - 110/230V - dimmable



IN THE WIND PENDANT VERTICAL BLACK



IN THE WIND FLOOR WHITE





# SPIGOLO

Studiocharlie

Floor, pendant and wall lamp realized with an extruded and tubular aluminium structure, connected with cables-less moulded ABS joints.  
LED source rotates by 360° for direct or indirect lighting.  
Opaline diffuser in polycarbonate.

floor 2xLED 20W - 1920lm - 3000°K - 110/230V - mono switch/dimmable

floor 3xLED 60W - 5760lm - 3000°K - 110/230V - mono switch/dimmable





pendant vertical LED 50W - 4800lm - 3000°K - 110/230V - mono switch/dimmable 1-10V

pendant horizontal LED 50W - 4800lm - 3000°K - 110/230V - mono switch/dimmable 1-10V

wall LED 20W - 2000lm - 3000°K - 110/230V





# TRU

Roberto Paoli

Floor lamp, body in extruded aluminium, heads and base in die-casted aluminium, diffusers in opal metacrylate. Powder coated matt white or black. Uplight LED for a warm and diffused emission, while side LED for indirect, solid diffused light emission. Double switching on the cable.

LED 41+16W - 4080+2460lm - 3000°K - 110/230V - dimmable



# GIÒ

Angeletti Ruzza Design



Pendant and floor LED lamp, in aluminium white or gunmetal, powder coated painting, with opal polycarbonate diffuser for a widespread diffusion.  
Transparent cable. DALI on request.

LED 30W - 2500lm - 3000°K - 110/230V - dimmable



# LIEVE

Gianluca Ferullo

Wall lamp, in die-casted aluminum, for indirect lighting. Structure in white powder coated painting. Polycarbonate diffuser.

LED 20W - 2000lm - 2700°K - 230V





# FLACA

Roberto Paoli

Double emission wall lamp in die-casted aluminium, with sandblasted Pyrex diffuser or opal metacrylate for the LED version.  
Painted in powder coated matt white, moka, champagne or anthracite.  
Dimmable LED version upon request.

LED 30W - 2000+1000lm - 2700°K - 230V

HALO R7s max 200W - 230V - dimmable



FLACA ANTHRACITE

# PANAMA

Euga Design

Table lamp with LED sources for a diffused soft widespread lighting. Aluminium structure, polycarbonate diffuser, anti-glare treatment. Available in two versions: Panama, white or black and Panama Mini, white, black or red.

Panama LED 25W - 2300lm - 3000°K - 230V



Panama Mini LED 9W - 1225lm - 3000°K - 110/230V




PANAMA WHITE


# CROWN

Jehs+Laub


CROWN  
MAJOR





CROWN  
MINOR




CROWN  
SUMMA




CROWN  
MULTI




CROWN PLANA  
MEGA




CROWN PLANA  
MINOR




CROWN PLANA



CROWN PLANA  
MAJOR



CROWN PLANA  
LINEA



# CROWN

Jehs+Laub

Pendant chandelier, with structure in die-casted aluminium and sandblasted glass diffusers. Structure in aluminium hand polished, gold plated or matt white, matt black or gold powder coated. Transparent cable. Red cable on request. LED NEMO G9 bulbs available.



*Euroluce*  
2015

CROWN MAJOR POLISHED / MULTI WHITE / MINOR GOLD PLATED



Major HALO/LED G9 max 30x25W - 110/230V - switch: double, dimmable

Minor HALO/LED G9 max 12x25W - 110/230V - dimmable

Multi HALO/LED G9 max 15x25W - 110/230V - dimmable

Summa HALO/LED G9 max 48x25W - 110/230V - dimmable



CROWN SUMMA POLISHED





Plana Linea HALO/LED G9 max 10x25W - 110/230V - dimmable

Plana Mega HALO/LED G9 max 12x25W - 110/230V - dimmable

Plana HALO/LED G9 max 10x25W - 110/230V - dimmable

Plana Minor HALO/LED G9 max 12x25W - 110/230V - dimmable

Plana Major HALO/LED G9 max 12x25W - 110/230V - dimmable



**CROWN PLANA MINOR POLISHED**



**CROWN PLANA POLISHED**

# CROWN WALL

Jehs+Laub



Wall 2 HALO/LED G9 max 2x60W - 110/230V - dimmable

Wall 4 HALO/LED G9 max 4x60W - 110/230V - dimmable

Wall 5 HALO/LED G9 max 5x60W - 110/230V - dimmable

Wall 8 HALO/LED G9 max 8x60W - 110/230V - dimmable



CROWN WALL 2



CROWN WALL 4



CROWN WALL 5



CROWN WALL 8



# ARA FLOOR

Ilaria Marelli

Family of floor lamps in extruded and die-casted aluminium, with LED, fluorescent and halogen sources. Body available in white, anthracite, champagne and moka, while the diffuser element can be brushed or painted white or anthracite. Double switch dimmer on the cable. Dali on request.



TOTAL WHITE

WHITE

CHAMPAGNE

MOKA

BLACK

TOTAL BLACK

LED MK3 23+40W - 2850+5200lm - 2700/3000°K - 230V - switch: double, dimmable (dali on request)

HALO/FLUO MK3 R7s max 300W + G5 80W - 230V - switch: double, dimmable

HALO/FLUO R7s max 300W + G5 80W - 230V - switch: double





# ARA WALL

Ilaria Marelli

Wall lamp in die-casted and extruded aluminium. Body available in white, champagne or anthracite. Diffuser elements brushed or painted in white. adjustable (2x15°) for diffused direct and indirect light. Acid-etched Pyrex diffuser or opal metacrylate for the LED version. Dali on request on the 69 cm. version.

29cm / LED 10+10W - 1000+1000lm - 3000°K - 110/230V

69cm LED 16+16W - 2100+2100lm - 3000°K - 230V - dimmable, dali, push



29cm HALO R7s max 200W - 230V - dimmable





## NUVOLA

Mario Bellini 1974

Pendant and wall/ceiling lamp in natural opal polyethylene, in rotational printing.  
Full lighting for a widespread and comfortable output.  
Dimmable. DALI driver on request.

Pendant FLUO G5 3x54W - 230V - dimmable, Dali on request  
Wall/Ceiling LED G5 80W - 7900lm - 110/240V - dimmable, 1-10V, push



## DUNA

Mario Barbaglia



Adjustable uplight floor lamp. Steel structure and base.  
Head, stems and base chromed, matt black or white.  
Telescopic stem. Dimmer on the cable.

LED 16W - 2900lm - 2700°K - 230V - dimmable  
HALO R7s max 300W - 230V - dimmable



# ILIUM

Foster+Partners

Floor, table and pendant lamps, for diffused and warm lighting. LED, fluorescent and halogen sources. Inner diffuser in opal polymeric and outer diffuser in transparent barrel glass. Base of floor and table versions in polished steel.

LED 8W - 900lm - 3000°K - 230V

FLUO/LED/HALO E27 max 50W - 230V - dimmable according to the bulb



# NORMA

Mario Barbaglia, Steve Blackman



Led, fluorescent and halogen wall lamps with diffused and warm light.  
Tube diffuser in sandblasted Pyrex or in opal metacrylate for the fluo/LED versions,  
mounted on a glossy polished aluminium structure.  
IP40.

25cm LED 20W - 2000lm - 3000°K - 110/230V

65/95/128cm LED 16/24/32W - 2200/3300/4400lm - 3000°K - 220/240V - dimmable, dali, push

25/65cm HALO R7s max 250/3x60W - 230V - dimmable

65/95cm FLUO G5 24/39W - 230V




# LOGO

Mario Barbaglia, Marco Colombo 1991

Floor, wall and ceiling LED and halogen lamps with adjustable head, in aluminium and printed ABS. Available in black, silver grey and white.  
Diffused adjustable light, dimmable.

Floor/Wall/Ceiling LED 17W - 1900lm - 2700°K - 230V - dimmable (floor)

Floor/Wall/Ceiling HALO R7s max 250W - 230V - dimmable



# MACONDO

Gregorio Spini



Family of pendant lamps in three different sizes, including wall and ceiling for small version, realized in glossy opal mouth blown triplex glass diffuser.


Pendant L/M/S FLUO/HALO E27 max 200/100/40W - 230V - dimmable according to the bulb

Wall/Ceiling S FLUO/HALO E27 max 40W - 230V - dimmable according to the bulb





# NEMO ARK



synthesis *selection*

# WALL SHADOWS

Charles Kalpakian

Family of LED wall lamps. Diffused lighting.  
Matt white powder coated aluminium.



Grand LED 55W - 5300lm - 3000°K - 240V - dimmable 1-10, push

Long LED 21W - 1950lm - 3000°K - 240V

Moyen LED 10,5W - 1000lm - 3000°K - 240V

Petit LED 7W - 5300lm - 3000°K - 240V



WALL SHADOWS GRAND



WALL SHADOWS PETIT / LONG



# LINESCAPES

Nemo Studio

Family of floor, ceiling and wall elements. Highly efficient linear luminous output.  
Body in aluminium extruded and opal white polycarbonate diffuser.  
White finishing with painted grey or light gold elements.

Floor LED 46W - 4560lm - 2700°K - 110/240V - dimmable 1-10V, push

Ceiling LED 24W - 2250lm - 2700°K - 110/240V - dimmable 1-10V, resistance, PWM

Pendant vertical LED 24W - 2250lm - 2700°K - 110/240V - dimmable 1-10V, resistance, PWM


Pendant horizontal LED 42W - 3825lm - 2700°K - 110/240V - dimmable 1-10V, resistance, PWM





LINESCAPES WALL CANTILEVERED

Wall 102 cm LED 24W - 2250lm - 2700°K - 110/240V - dimmable 1-10V, push, resistance, PWM  
Wall 182 cm LED 42W - 3940lm - 2700°K - 110/240V - dimmable 1-10V, push, resistance, PWM  
Wall 222 cm LED 53W - 4950lm - 2700°K - 110/240V - dimmable 1-10V, push, resistance, PWM  
Wall cantilever 105cm LED 24W - 2250lm - 2700°K - 110/240V - dimmable 1-10V, push, resistance, PWM



LINESCAPES WALL / CANTILEVERED





## 2TUBES


Charles Kalpakian

Ceiling and wall luminaires composed of two cylindrical elements in extruded aluminum, equipped with an opal polycarbonate lens for a diffused uniform light. Ceiling version with a 340° rotation for the ceiling fixed element while other element adjustable by 90°. Wall version with a wall fixed element and other adjustable by 60°.

Available in white and grey and white and light gold powder coated finishing.

IP 54.

LED 2x16W - 2x2250lm - 2700°K - 110/230V - dimmable on request



# CUBO

Marco Pollice

Ceiling and wall family in aluminium, matt white, black, moka, grey, light gold and chromed. Orientable QR111 or with a LED board and metacrylate opal screen for a diffused light. Double emission G9 available for wall version. Drivers and trafo's integrated in the lamp body.

LED 16W - 2460lm - 3000°K - 110/230V - dimmable push 1-10V

LED/HALO G53 max 30/60W - 230/12V

LED/HALO G9 max 75W - 230V - dimmable



WHITE



MOKA



BLACK



LIGHT GOLD



CHROME



GREY



CUBO CEILING



G53 HALO



LED



G53 LED




G9 LED/HALO

CUBO WALL

# DUO

Nemo Studio

Ceiling, wall and suspension lamp. Realized in extruded aluminium, matt white, black, moka, grey, light gold and chromed. Orientable QR111 or, for a diffused light, a LED board and metacrylate opal screen. Double emission on the pendant version. Power transformer and drivers integrated in the lamp body.



LED 45W - 5700lm - 2700°K - 230V input V- dimmable, 0-10V

LED/HALO G53 max 2x30/2x60W - 230/12V - dimmable, trailing edge



# VIIVA

Angeletti Ruzza Design

Family of wall lamps, for a double emission diffused lighting. Matt white powder-coated aluminium, with opal polycarbonate diffusers. They may also be utilized as a shelf for small objects.



30cm LED 10+10W - 1000+1000lm - 3000°K - 110/240V - dimmable 1-10V

60cm LED 12+12W - 1200+1200lm - 3000°K - 110/240V - dimmable 1-10V

100cm LED 24+24W - 2400+2400lm - 3000°K - 110/240V - dimmable 1-10V





# ANGOLO

Gabi Peretto

---

Wall lighting fixture for corners installations. Wall kit available for wall mounting.  
Body lamp in extruded aluminium, matt white liquid painted.

Angolo LED 58W - 4560 lm - 3000°K - 110/230V - dimmable 1-10V

Angolo FLUO G5 2x80W - 230V - dimmable

Mezzo Angolo LED 38W - 3800 lm - 3000°K - 110/230V - dimmable 1-10V



# CANNA NUDA

Piero Castiglioni Roberto Menghi

Ceiling or wall lighting fixture, realized with a satin nickel iron structure and a sanded glass diffuser or chromed structure.  
Available in different lengths.



Canna Nuda LED/HALO G9 max 75W - 110/230V - dimmable



Canna Nuda Metal LED 8W - 800lm - 2700°K - 230V



# ELLISSE

Federico Palazzari

LED pendant lamp in two sizes, for diffused, indirect lighting. Extruded aluminium, matt white liquid painted, with silicon opal diffuser.

Large LED 40W - 3500lm - 2700°K - 110/240V - dimmable 1-10V


Small LED 28W - 2400lm - 2700°K - 110/240V - dimmable 1-10V

Double LED 40+28W - 2400+3500lm - 2700°K - 110/240V - dimmable 1-10V



# VESSEL

Jonathan Maltz



Vessel is a diffused double emission, LED and fluo, suspension lamp.  
Aluminium matt white liquid painted and polycarbonate diffusers. Double  
switching on the fluorescent version.

LED 58W - 5760lm - 3000°K - 110/230V - dimmable

FLUO G5 2x54W - 230V



# CENCINQUANTA

Marco Antonicelli

Floor lamp, with three orientable QR111 on a chromed brass stem.  
Cubic steel base, in matt white finished, liquid painted.

LED/HALO G53 max 3x30W/3x60W - 230V/12V - dimmable trailing edge





# ONAN

Gabi Peretto



Ceiling fixture, for direct punctual and indirect diffused lighting.  
Available with adjustable QR111 bulbs and LED or fluorescent  
for indirect lighting. Double switching.  
Black and white textured powder coated aluminium structure.

One LED LED+G53 29W+30W - 2880lm - 3000°K - 110/230V-230/12V - switch: double 1-10

FLUO/HALO G5+G53 max 2x39W+3x60W - 230V-230/12V - switch: double

LED LED+G53 2x24W+3x30W - 2x2400lm - 3000°K - 110/230V-230/12V - switch: double 1-10



ONAN ONE



ONAN TREE

# K-HOLE

Gabi Peretto

Family of semi-recessed and ceiling/wall lamps with QR111 sources.  
Power supply integrated in the wall/ceiling.  
Products realized in matt white powder coated aluminium,  
with chrome supporting elements.



- 1 LED/HALO G53 max 1x30W/1x60W - 230/12V - dimmable
- 2 LED/HALO G53 max 2x30W/2x60W - 230/12V - dimmable
- 3 LED/HALO G53 max 3x30W/3x60W - 230/12V - dimmable
- 5 LED/HALO G53 max 5x30W/5x60W - 230/12V - dimmable



# SQUARE

Nemo Studio



Ceiling, wall, semi-recessed and on a tri-phase track for orientable QR111 bulbs.  
Matt white or black powder-coated finishing.  
Electronic transformer integrated in ceiling, wall and track version.

- ceiling/wall LED/HALO G53 max 30W/60W - 230/12V - dimmable
- track LED/HALO G53 max 30W/60W - 230/12V - dimmable
- recessed LED/HALO G53 max30W/60W - 230/12V - dimmable





# MASTERS

*synthesis selection*

# PROJECTEUR 365

Le Corbusier 1954

The Projecteur of Le Corbusier was designed for the Chandigarh High Court, India, in 1954. Aluminium body painted in night blue, white sand or moka.

Diffuser glass curved and sandblasted in the inner part.

Painted body, base and canopies. Screws and small metal parts anodized in black.

Available in floor, wall and pendant versions. IP54 version available.

FLUO/LED/HALO E27 max 150W - 230V - dimmable according to the bulb (pendant/wall)





# PROJECTEUR 165

Le Corbusier



Available in clamp, wall and pendant versions.  
Aluminium body painted in night blue, white sand or moka.  
Glass curved diffuser and sandblasted in the inner part.  
Clamp and canopies painted in matt black,  
screws and small metal parts black anodized.

FLUO/LED E27 23W - 230V - dimmable according to the bulb (pendant/wall)





# LAMPE DE MARSEILLE

Le Corbusier 1949/52

Designed by Le Corbusier for the Unité d'Habitation of Marseille in 1949/1952.

Adjustable wall lamp. Spun aluminium diffusers.

Available with matt grey or whitewash body, with white internal diffusers.

Direct and indirect lighting output. Double switch on the cable.

FLUO/LED/HALO E27 max 70+52W - 230V - switch: double, on cable



LAMPE DE MARSEILLE MATT GREY

# LAMPE DE MARSEILLE MINI

Le Corbusier

Mini version of the Lampe de Marseille. Spun aluminium diffusers.

Available with matt grey or whitewash body, with white internal diffusers.

Direct and indirect lighting output.

Switch on the cable. Wall installation also without plug.

FLUO/LED/HALO E14 max 46+46W - 230V - switch: on cable



LAMPE DE MARSEILLE MINI MATT GREY / WHITEWASH

# APPLIQUE DE MARSEILLE

Le Corbusier 1938/39

---

Le Corbusier designed the Applique de Marseille for his Paris apartment at Rue Nungesser et Coli. Wall lamp, double emission, in aluminium painted in matt grey or painted matt white, with white internal diffusers.

FLUO/LED/HALO E27 max 2x52W - 230V - dimmable according to the bulb



APPLIQUE DE MARSEILLE MATT GREY

# ESCARGOT

Le Corbusier 1951/52

---

Sculptural floor lamp, limited edition. Body in aged cast brass. Inner reflector is a curved surface in anodized aluminium, reflecting the light hidden in the body, for a widespread indirect output. Dimmable.

INC E40 300W - 230V - dimmable



ESCARGOT

# PIVOTANTE À POSER

Charlotte Perriand 1950

Table lamp with a cylindrical body, open on two sides, on which two diffusers rotate and allow the opening and closure of the lighting beam.  
Base in steel painted in matt grey, body in rolled metal sheet painted in white, yellow or blue. Switch on cable.

FLUO/HALO E27 max 60W - 230V - switch: on cable



PIVOTANTE À POSER WHITE / YELLOW

# POTENCE PIVOTANTE

Charlotte Perriand 1938

Wall lamp. Rotating on the horizontal axis by 180°.  
Body in aluminium and metal, painted matt black.  
Diffuser is a opal glass. Power cable with plug and dimmer.

HALO E27 max 150W - 230V - dimmable according to the bulb



LA MAISON AU BORD DE L'EAU - LOUIS VUITTON - ARCHIVES CHARLOTTE PERRIAND

# APPLIQUE À VOILET PIVOTANT

Charlotte Perriand 1960/77

Wall lamps with aluminium adjustable volet and metal body.  
Body painted in white, volet natural anodized, black anodized or mirror polished  
stainless steel. For the E14 version, body is painted in red, yellow or blue with  
integrated switch, cable and plug for a simple and free installation.



Pivotant LED 10W - 1000lm -3000°K - 110/230V

Pivotant HALO E14 max 40W - 230V - switch: on board



Pivotant HALO R7s max 80W - 230V



Pivotant Double/Plié LED 20W - 2000lm -3000°K - 110/230V

Pivotant Double/Plié HALO E14 max 2x40W - 230V

Pivotant Double/Plié HALO R7s max 2x80W - 230V



# COUPOLE

Franco Albini

Pendant lamp in spun aluminium, available in white or matt black, or bright anodized gold, gunmetal, natural aluminium.

FLUO/LED/HALO E27 max 250W - 230V - dimmable according to the bulb



# AS1C / AM1N

F.Albini, F.Helg, A.Piva, M.Albini 1969

Table lamps with chromed metal structure. Opal white glass diffuser.  
Dimmer on the cable.



FLUO/LED/HALO E27 max 150W - 230V - dimmable according to the bulb



AS1C / AM1N



## AM2C/AM2Z

F.Albini, F.Helg, A.Piva, M.Albini 1969

---

Floor lamps with chromed structure.  
Cup-shaped diffuser in opal white glass or in metal (black chrome, chrome or white).  
Dimmer on the cable.

FLUO/LED/HALO E27 max 250W - 230V - dimmable according to the bulb



## AM4C/AS41C AM4Z/AS41Z

F.Albini, F.Helg, A.Piva, M.Albini 1969

---

Pendant lamps with cup-shaped diffuser, in opal white glass or in metal (chromed, black chromed or white).  
Dimmable. Available with chromed revolving and jointed arm.

FLUO/LED/HALO E27 max 250W - 230V - dimmable according to the bulb



# SIRIO

Kazuhide Takahama 1977

Floor and wall lamp with structure and adjustable diffuser in metal painted in black or white. Dimmable with a red integrated switch. Adjustable flood uplight.

HALO R7s max 300W - 230V - dimmer on board



# CLARITAS

Vico Magistretti, Mario Tedeschi 1946

Claritas is the first lamp designed by Vico Magistretti, realized with Mario Tedeschi in 1946. Black painted structure. Diffuser in black and white painted aluminium.

HALO/FLUO/LED E27 max150W - 230V - dimmable according to the bulb



## г. Москва

### Отдел розничных продаж:

+7(495) 662-56-76

+7(800) 100-75-80 (бесплатно по РФ)

info@vamsvet.ru

### Отдел оптовых продаж:

+7(495) 646-72-36 (доб. 309, 311)

tech@vamopt.ru

tech@vamelectro.ru

### Отдел по работе с дизайнерами, архитекторами:

+7(495) 646-72-36 (доб. 304, 305)

design@vamopt.ru

### Отдел по работе с торговыми точками:

+7(495) 646-72-36 (доб. 310, 308)

market@vamopt.ru

### Отдел по работе с интернет-магазинами:

+7(495) 660-33-92 (доб. 351, 352, 353)

ecom@vamsvet.ru

### Служба доставки:

+7(495) 419-06-12

## г. Санкт-Петербург

### Обособленное подразделение:

+7(812) 648-48-47 (доб. 322, 323, 324, 325,  
326, 327)

### Отдел оптовых продаж:

spbtech@vamopt.ru

spbtech@vamelectro.ru

### Отдел по работе с дизайнерами, архитекторами:

spbdesign@vamopt.ru

### Отдел по работе с торговыми точками:

spbmarket@vamopt.ru

### Отдел по работе с интернет-магазинами:

ecom@vamsvet.ru

### Служба доставки:

8(812) 648-48-47

8(800) 350-45-95