


fumagalli[®]
s i n c e 1 9 7 3

MADE IN
ITALY



TOP SELECTION 2016 CLASSIC RANGE



MADE IN ITALY



BISSO/ANNA
for details see pag. 5



E22.131

NEW

FILAMENT LED LAMP

- Clear **LED filament lamp** with the look and the feeling of an incandescent bulb.
- Perfect **matching with classic lanterns**.
- **Suitable for outdoor use:** built-in driver fully protected against heat and humidity by silicone paste.
- **Omnidirectional light:** 360° light output for a better lighting distribution.
- **High efficiency:** 90% energy saving.

6W	LVD tested	360°
670lm	EMC tested	SAPPHIRE LED SUPPORT EPISTAR CHIP
2.700K	CE ERP 6000 h	90% HYDROGEN GAS
100-240V	ENERGY CLASS A+	SURGE RESISTANT
25.000 h	ENERGY CLASS A+	SILICONE PROTECTION
CRI 80	ENERGY CLASS A+	DRIVER
PF 0,6	ENERGY CLASS A+	INDOOR & OUTDOOR USE
		+80°C 90% HUMIDITY
		-30°



ANNA 4	SABA 8	GLOBE 250 12	IESSE 52	GARDEN SMALL
-----------	-----------	-----------------	-------------	--------------

RUT 16	SALEM 20	GOLIA 24	CEFA 28	GLOBE 300 32	DARIA 52	GARDEN MEDIUM
-----------	-------------	-------------	------------	-----------------	-------------	---------------

NOEMI 36	SIIOE 40	TOBIA 44	SIMON 48	URBAN CLASSIC
-------------	-------------	-------------	-------------	---------------

SAURO 1100 55	SAURO 800 55	SAURO 500 56	57	BOLLARDS
------------------	-----------------	-----------------	----	----------

ANNA RANGE

SMALL SIZE



MADE IN ITALY



E22.110.F1R

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (670 lm)
 2700 K
 100-240 V

TUV SUD

UV UNTREATED ANTISHOCK RECYCLABLE CE IP55 DOUBLE INSULATION CLASS



SMALL SIZE ANNA RANGE

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) WHITE (W)

DIFFUSER

CLEAR (X) OPAL (Y)

LED VERSION

ENERGY CLASS A+

6W
 670lm
 2.700K
 100-240V
 = 60W INCANDESCENT
 CRI 80


E27 VERSION

BISSO/ANNA



LED FILAMENT 6W
 E22.131.F1R

E27
 E22.131.E27




Master box: 18pcs

MIKROLOT/ANNA

LED FILAMENT 6W
 E22.110.F1R

E27
 E22.110.E27




Master box: 18pcs

SICHEM/ANNA

LED FILAMENT 6W
 E22.120.F1R

E27
 E22.120.E27



Master box: 18pcs

- SMALL LANTERN
 - ANNA
 - SABA
 - GLOBE250
- MEDIUM LANTERN
 - RUT
 - SALEM
 - GOLIA
 - CEFA
 - GLOBE 300
- LARGE LANTERN
 - NOEMI
 - SILOE
 - TOBIA
 - SIMON
- HALF LANTERN
 - IESSE/DARIA
- BOLLARD
 - SAURO/MIRELLA

ANNA RANGE

SMALL SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) WHITE (W)

DIFFUSER

CLEAR (X) OPAL (Y)

LED VERSION

ENERGY CLASS **A+**

6W

670lm

2.700K

85-265V

= 60W INCANDESCENT **CRI 80**

E27 VERSION

MIZAR/ANNA (resin)

IP55

LED FILAMENT 6W
E22.151.F1R

E27
E22.151.E27

ALOE'R/ANNA (resin)

IP55

LED FILAMENT 6W
E22.163.F1R

E27
E22.163.E27

ARTU'/ANNA

IP55

LED FILAMENT 6W
E22.158.F1R

E27
E22.158.E27

ANNA RANGE

SMALL SIZE



"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION **UV-RAYS STABILIZED** **NO MAINTENANCE** **DOUBLE INSULATION** **NOT AFFECTED BY CHEMICAL FERTILIZERS**

GIGI BISSO/ANNA 2L

LED FILAMENT 6W
E22.156.S20.F1R

E27
E22.156.S20.E27

IP55

GIGI BISSO/ANNA 3L

LED FILAMENT 6W
E22.156.S30.F1R

E27
E22.156.S30.E27

IP55

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SABA RANGE

SMALL SIZE



MADE IN ITALY



K22.131.F1R

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (670 lm)
2700 K
100-240 V



SMALL SIZE

SABA RANGE

SMALL LANTERN

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A)	CLEAR (X)
WHITE (W)	OPAL (Y)

ENERGY CLASS A+

LED VERSION

6W
670lm
2.700K
100-240V
= 60W INCANDESCENT
CRI 80




BISSO/SABA

IP55



LED FILAMENT 6W
K22.131.F1R

E27
K22.131.E27



Master box: 18pcs

MEDIUM LANTERN



MIKROLOT/SABA

LED FILAMENT 6W
K22.110.F1R

E27
K22.110.E27



IP55



Master box: 18pcs


SICHEM/SABA

LED FILAMENT 6W
K22.120.F1R

E27
K22.120.E27



IP55



Master box: 18pcs

LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

SABA RANGE

SMALL SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) WHITE (W)

DIFFUSER

CLEAR (X) OPAL (Y)

LED VERSION

ENERGY CLASS: A+ (A+, A, B, C, D, E)

6W

670lm

2.700K

85-265V

= 60W INCANDESCENT

CRI 80

E27 VERSION

MIZAR/SABA (resin)

IP55

LED FILAMENT 6W
K22.151.F1R

E27
K22.151.E27

ALOE'.R/SABA (resin)

IP55

LED FILAMENT 6W
K22.163.F1R

E27
K22.163.E27

ARTU'/SABA

IP55

LED FILAMENT 6W
K22.158.F1R

E27
K22.158.E27

SABA RANGE

SMALL SIZE



"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION UV-RAYS STABILIZED NO MAINTENANCE DOUBLE INSULATION NOT AFFECTED BY CHEMICAL FERTILIZES

GIGI BISSO/SABA 2L

LED FILAMENT 6W
K22.156.S20.F1R

E27
K22.156.S20.E27

IP55

GIGI BISSO/SABA 3L

LED FILAMENT 6W
K22.156.S30.F1R

E27
K22.156.S30.E27

IP55

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GLOBE 250 RANGE

SMALL SIZE



MADE IN ITALY



NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (670 lm)
 2700 K
 100-240 V

G25.131.F1R



SMALL SIZE GLOBE 250 RANGE

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER			
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)	

LED VERSION

ENERGY CLASS: **A+**

6W
 670lm
 2.700K
 100-240V
 = 60W INCANDESCENT
 CRI 80

E27 VERSION

BISSO/G250

LED FILAMENT 6W
 G25.131.F1R

E27
 G25.131.E27

IP55

box: **4pcs**

MIKROLOT/G250

LED FILAMENT 6W
 G25.110.F1R

E27
 G25.110.E27

IP55

box: **4pcs**

SICHEM/G250

LED FILAMENT 6W
 G25.120.F1R

E27
 G25.120.E27

IP55

box: **4pcs**

- SMALL LANTERN
- ANNA
- SABA
- GLOBE250
- MEDIUM LANTERN
- RUT
- SALEM
- GOLIA
- CEFA
- GLOBE 300
- LARGE LANTERN
- NOEMI
- SILOE
- TOBIA
- SIMON
- HALF LANTERN
- IESSE/DARIA
- BOLLARD
- SAURO/MIRELLA

MADE IN ITALY

GLOBE 250 RANGE SMALL SIZE



LED VERSION

ENERGY CLASS **A+**

6W
670lm
2.700K
85-265v
= 60W INCANDESCENT
CRI 80



MIZAR/G250 (resin)

IP55

LED FILAMENT 6W
G25.151.F1R

E27
G25.151.E27

Technical drawing showing a lamp with a globe diameter of 250mm, a base diameter of 150mm, and a total height of 1000mm.

box: **4pcs**

ALOE'.R/G250 (resin)

IP55

LED FILAMENT 6W
G25.163.F1R

E27
G25.163.E27

Technical drawing showing a lamp with a globe diameter of 250mm, a base diameter of 190mm, and a total height of 1350mm.

box: **2pcs**

ARTU'/G250

IP55

LED FILAMENT 6W
G25.158.F1R

E27
G25.158.E27

Technical drawing showing a lamp with a globe diameter of 250mm, a base diameter of 245mm, and a total height of 1710mm.

box: **2pcs**



SMALL SIZE GLOBE 250 RANGE

"METAL POST COVERED BY RESIN"

Labels: STEEL, RESIN, EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

LIFETIME GUARANTEE
ANTI RUST
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION **UV-RAYS STABILIZED** **NO MAINTENANCE** **DOUBLE INSULATION** **NOT AFFECTED BY CHEMICAL FERTILIZERS**

GIGI BISSO/G250 2L

LED FILAMENT 6W
G25.156.S20.F1R

E27
G25.156.S20.E27

IP55

Technical drawing showing a lamp with a globe diameter of 250mm, a distance between globes of 670mm, a base diameter of 245mm, and a total height of 2200mm.

box: **2pcs**

GIGI BISSO/G250 3L

LED FILAMENT 6W
G25.156.S30.F1R

E27
G25.156.S30.E27

IP55

Technical drawing showing a lamp with a globe diameter of 250mm, a distance between globes of 620mm, a base diameter of 245mm, and a total height of 2200mm.

box: **2pcs**

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



RUT RANGE

MEDIUM SIZE



MADE IN ITALY



E26.157.S30.F1R

NEW FILAMENT LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (670 lm)
2700 K
100-240 V




MEDIUM SIZE

RUT RANGE

SMALL LANTERN

AVAILABLE COLORS



ENERGY CLASS **A+**

LED VERSION

6W

670lm

2.700K

100-240V

≈ 60W INCANDESCENT

CRI 80




BISSO/RUT



LED FILAMENT 6W
E26.131.F1R

E27
E26.131.E27



Master box: 12pcs



MEDIUM LANTERN



MINILOT/RUT

LED FILAMENT 6W
E26.111.F1R

E27
E26.111.E27




Master box: 12pcs

SICHEM/RUT

LED FILAMENT 6W
E26.120.F1R

E27
E26.120.E27



Master box: 12pcs

LARGE LANTERN



RUT RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) WHITE (W)

DIFFUSER

CLEAR (X) OPAL (Y)

LED VERSION

ENERGY CLASS: A+

6W

670lm

2.700K

85-265v

= 60W INCANDESCENT

CRI 80

E27 VERSION

MIZAR/RUT (resin)

IP55

LED FILAMENT 6W
E26.151.F1R

E27
E26.151.E27

RICU BISSO/RUT 2L

IP55

LED FILAMENT 6W
E26.157.S20.F1R

E27
E26.157.S20.E27

RICU BISSO/RUT 3L

IP55

LED FILAMENT 6W
E26.157.S30.F1R

E27
E26.157.S30.E27



MEDIUM SIZE

RUT RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION UV-RAYS STABILIZED NO MAINTENANCE DOUBLE INSULATION NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/RUT (resin)

IP55

LED FILAMENT 6W
E26.163.F1R

E27
E26.163.E27

ARTU'.R/RUT

IP55

LED FILAMENT 6W
E26.158.F1R

E27
E26.158.E27

GIGI/RUT

IP55

LED FILAMENT 6W
E26.156.F1R

E27
E26.156.E27

RICU/RUT

IP55

LED FILAMENT 6W
E26.157.F1R

E27
E26.157.E27

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SALEM RANGE

MEDIUM SIZE



MADE IN ITALY

K26.111.F1R



NEW FILAMENT LED
INDOOR & OUTDOOR
USE

+80°C
-30° HUMIDITY 90%

6W (670 lm)
2700 K
100-240 V



MEDIUM SIZE

SALEM RANGE

SMALL LANTERN

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A)	CLEAR (X)
WHITE (W)	OPAL (Y)

LED VERSION

ENERGY CLASS: A+

6W
670lm
2.700K
100-240V
= 60W INCANDESCENT
CRI 80

E27 VERSION



BISSO/SALEM



IP55

LED FILAMENT 6W
K26.131.F1R

E27
K26.131.E27

Master box: 12pcs

MEDIUM LANTERN



MINILOT/SALEM

LED FILAMENT 6W
K26.111.F1R

E27
K26.111.E27

IP55

Master box: 12pcs

SICHEM/SALEM

LED FILAMENT 6W
K26.120.F1R

E27
K26.120.E27

IP55

Master box: 12pcs

LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

SALEM RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) WHITE (W)	CLEAR (X) OPAL (Y)

LED VERSION

ENERGY CLASS: **A+**

6W
670lm
2.700K
85-265v
= 60W INCANDESCENT
CRI 80

E27 VERSION

MIZAR/SALEM (resin)

IP55

LED FILAMENT 6W
K26.151.F1R

E27
K26.151.E27

Dimensions: 260 (width), 1150 (height), Ø 50 (pole), Ø 150 (base)

RICU BISSO/SALEM 2L

IP55

LED FILAMENT 6W
K26.157.S20.F1R

E27
K26.157.S20.E27

Dimensions: 690 (width), 2500 (height), Ø 245 (pole)

RICU BISSO/SALEM 3L

IP55

LED FILAMENT 6W
K26.157.S30.F1R

E27
K26.157.S30.E27

Dimensions: 640 (width), 2500 (height), Ø 245 (pole)



MEDIUM SIZE

SALEM RANGE

"METAL POST COVERED BY RESIN"

STEEL, RESIN, EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION, UV-RAYS STABILIZED, NO MAINTENANCE, DOUBLE INSULATION, NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/SALEM (resin)

IP55

LED FILAMENT 6W
K26.163.F1R

E27
K26.163.E27

Dimensions: 1500 (height), Ø 190 (pole)

ARTU'/SALEM

IP55

LED FILAMENT 6W
K26.158.F1R

E27
K26.158.E27

Dimensions: 1920 (height), Ø 245 (pole)

GIGI/SALEM

IP55

LED FILAMENT 6W
K26.156.F1R

E27
K26.156.E27

Dimensions: 2130 (height), 260 (width), Ø 245 (pole)

RICU/SALEM

IP55

LED FILAMENT 6W
K26.157.F1R

E27
K26.157.E27

Dimensions: 2450 (height), 260 (width), Ø 245 (pole)

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GOLIA RANGE

MEDIUM SIZE



MADE IN ITALY



Q23.131.F1R

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY
6W (670 lm)
2700 K
100-240 V



MEDIUM SIZE GOLIA RANGE

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

LED VERSION

ENERGY CLASS: A+ (A+, A, B, C, D, E)

6W
670lm
2.700K
100-240V
= 60W INCANDESCENT
CRI 80




BISSO/GOLIA



LED FILAMENT 6W
Q23.131.F1R

E27
Q23.131.E27



Master box: 12pcs

MINILOT/GOLIA


LED FILAMENT 6W
Q23.111.F1R

E27
Q23.111.E27




LED FILAMENT 6W
Q23.120.F1R

E27
Q23.120.E27



Master box: 12pcs



Master box: 12pcs

- SMALL LANTERN
 - ANNA
 - SABA
 - GLOBE250
- MEDIUM LANTERN
 - RUT
 - SALEM
 - GOLIA
 - CEFA
 - GLOBE 300
- LARGE LANTERN
 - NOEMI
 - SILOE
 - TOBIA
 - SIMON
- HALF LANTERN
 - IESSE/DARIA
- BOLLARD
 - SAURO/MIRELLA

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

LED VERSION

ENERGIE EFFICIENTE

A+ A A- B C D E

6W
670lm
2.700K
85-265v
= 60W INCANDESCENT
CRI 80

E27 VERSION

MIZAR/GOLIA (resin)

IP55

LED FILAMENT 6W
Q23.151.F1R

E27
Q23.151.E27

RICU BISSO/GOLIA 2L

IP55

LED FILAMENT 6W
Q23.157.S20.F1R

E27
Q23.157.S20.E27

RICU BISSO/GOLIA 3L

IP55

LED FILAMENT 6W
Q23.157.S30.F1R

E27
Q23.157.S30.E27

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'R/GOLIA (resin)

IP55

LED FILAMENT 6W
Q23.163.F1R

E27
Q23.163.E27

ARTU'/GOLIA

IP55

LED FILAMENT 6W
Q23.158.F1R

E27
Q23.158.E27

GIGI/GOLIA

IP55

LED FILAMENT 6W
Q23.156.F1R

E27
Q23.156.E27

RICU/GOLIA

IP55

LED FILAMENT 6W
Q23.157.F1R

E27
Q23.157.E27



CEFA RANGE

MEDIUM SIZE



MADE IN ITALY



U23.120.F1R

NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (670 lm)
2700 K
100-240 V



MEDIUM SIZE

CEFA RANGE

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A)	CLEAR (X)
WHITE (W)	OPAL (Y)

LED VERSION

ENERGY CLASS: **A+**

6W
670lm
2.700K
100-240V
= 60W INCANDESCENT
CRI 80

E27 VERSION


BISSO/CEFA



IP55

LED FILAMENT 6W
U23.131.F1R

E27
U23.131.E27



Master box: 12pcs


MINILOT/CEFA

LED FILAMENT 6W
U23.111.F1R

E27
U23.111.E27



IP55



Master box: 12pcs


SICHEM/CEFA

LED FILAMENT 6W
U23.120.F1R

E27
U23.120.E27



IP55



Master box: 12pcs

- SMALL LANTERN
 - ANNA
 - SABA
 - GLOBE250
- MEDIUM LANTERN
 - RUT
 - SALEM
 - GOLIA
 - CEFA
 - GLOBE 300
- LARGE LANTERN
 - NOEMI
 - SILOE
 - TOBIA
 - SIMON
- HALF LANTERN
 - IESSE/DARIA
- BOLLARD
 - SAURO/MIRELLA

MADE IN ITALY

CEFA RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

LED VERSION

ENERGY EFFICIENT
A+
A
B
C
D
E

6W
670lm
2.700K
85-265V
= 60W INCANDESCENT
CRI 80

E27 VERSION

MIZAR/CEFA (resin)

IP55

LED FILAMENT 6W
U23.151.F1R

E27
U23.151.E27

230
1110
Ø 50
Ø 150

RICU BISSO/CEFA 2L

IP55

LED FILAMENT 6W
U23.157.S20.F1R

E27
U23.157.S20.E27

820
2450
2
Ø 245

RICU BISSO/CEFA 3L

IP55

LED FILAMENT 6W
U23.157.S30.F1R

E27
U23.157.S30.E27

770
2450
3
Ø 245

CEFA RANGE

MEDIUM SIZE



"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/CEFA (resin)

IP55

LED FILAMENT 6W
U23.163.F1R

E27
U23.163.E27

230
1470
Ø 190

ARTU'/CEFA

IP55

LED FILAMENT 6W
U23.158.F1R

E27
U23.158.E27

1865
Ø 245

GIGI/CEFA

IP55

LED FILAMENT 6W
U23.156.F1R

E27
U23.156.E27

230
2110
Ø 245

RICU/CEFA

IP55

LED FILAMENT 6W
U23.157.F1R

E27
U23.157.E27

2450
2
Ø 245

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



GLOBE 300 RANGE

MEDIUM SIZE



MADE IN ITALY



NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

6W (670 lm)
 2700 K
 100-240 V



MEDIUM SIZE GLOBE 300 RANGE

SMALL LANTERN



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER			
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)	


LED VERSION

ENERGY CLASS: **A+**

6W
670lm
 2.700K
 100-240V
 = 60W INCANDESCENT
 CRI 80


E27 VERSION

BISSO/G300



LED FILAMENT 6W
 G30.131.F1R

E27
 G30.131.E27



MEDIUM LANTERN



MINILOT/G300

LED FILAMENT 6W
 G30.111.F1R

E27
 G30.111.E27



SICHEM/G300

LED FILAMENT 6W
 G30.120.F1R

E27
 G30.120.E27



LARGE LANTERN



GLOBE 300 RANGE MEDIUM SIZE



LED VERSION

ENERGIE EFFICIENTE

A+ A A- B C D E

6W

670lm

2.700K

85-265v


= 60W INCANDESCENT CRI 80




IAFET.R/G300 (resin)

LED FILAMENT 6W
G30.162.F1R

E27
G30.162.E27




box: 2pcs



RICU BISSO/G300 2L

LED FILAMENT 6W
G30.157.S20.F1R

E27
G30.157.S20.E27




box: 2pcs



RICU BISSO/G300 3L

LED FILAMENT 6W
G30.157.S30.F1R

E27
G30.157.S30.E27



box: 2pcs



MEDIUM SIZE GLOBE 300 RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION


NOT AFFECTED BY CHEMICAL FERTILIZERS




ALOE'.R/G300 (resin)

LED FILAMENT 6W
G30.163.F1R

E27
G30.163.E27




box: 2pcs



ARTU'/G300

LED FILAMENT 6W
G30.158.F1R

E27
G30.158.E27




box: 2pcs



GIGI/G300

LED FILAMENT 6W
G30.156.F1R

E27
G30.156.E27



box: 2pcs



RICU/G300

LED FILAMENT 6W
G30.157.F1R

E27
G30.157.E27



box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



NOEMI RANGE

LARGE SIZE



MADE IN ITALY



E35.121



LARGE SIZE NOEMI RANGE

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON

OFIR/NOEMI



E27
E35.132.E27

box: 1 pcs

LOT/NOEMI

E27
E35.113.E27

IP55

box: 1 pcs

SICHEM/NOEMI

E27
E35.121.E27

IP55

box: 1 pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



NOEMI RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON

IAFET.R/NOEMI (resin)

IP55

E27
E35.162.E27

box: 2pcs

ALOE'.R/NOEMI (resin)

IP55

E27
E35.163.E27

box: 2pcs

ARTU'/NOEMI

IP55

E27
E35.158.E27

box: 2pcs



LARGE SIZE

NOEMI RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/NOEMI

IP55

E27
E35.156.E27

box: 2pcs

RICU/NOEMI

IP55

E27
E35.157.E27

box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SILOE RANGE

LARGE SIZE



MADE IN ITALY



E35.132



LARGE SIZE

SILOE RANGE

SMALL LANTERN

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON



OFIR/SILOE



IP55

E27
K35.132.E27

box: 1 pcs

MEDIUM LANTERN



LOT/SILOE

E27
K35.113.E27

IP55

box: 1 pcs

SICHEM/SILOE

E27
K35.121.E27

IP55

box: 1 pcs

LARGE LANTERN



MADE IN ITALY


SILOE RANGE

LARGE SIZE



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) 	CLEAR (X) 
WHITE (W) 	OPAL (Y) 





SUITABLE FOR
MBF - HQI - SON

IAFET.R/SILOE (resin)

E27
K35.162.E27




box: **2pcs**

ALOE'.R/SILOE (resin)

E27
K35.163.E27




box: **2pcs**

ARTU'/SILOE

E27
K35.158.E27




box: **2pcs**



LARGE SIZE

SILOE RANGE

"METAL POST COVERED BY RESIN"

fumaTech
FUMAGALLI POLES TECHNOLOGY

STEEL
RESIN
EXPANSE

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/SILOE

E27
K35.156.E27




box: **2pcs**

RICU/SILOE

E27
K35.157.E27




box: **2pcs**

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



TOBIA RANGE

LARGE SIZE



MADE IN ITALY



Q33.113



LARGE SIZE


TOBIA RANGE

AVAILABLE COLORS		DIFFUSER	
RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON

OFIR/TOBIA



box: 1pcs

LOT/TOBIA



SICHEM/TOBIA



box: 1pcs

box: 1pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SIMON RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON

IAFET.R/TOBIA (resin)

IP55

E27
Q33.162.E27

box: **2pcs**

ALOE'.R/TOBIA (resin)

IP55

E27
Q33.163.E27

box: **2pcs**

ARTU'/TOBIA

IP55

E27
Q33.158.E27

box: **2pcs**



LARGE SIZE

TOBIA RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZES

GIGI/TOBIA

IP55

E27
Q33.156.E27

box: **2pcs**

RICU/TOBIA

IP55

E27
Q33.157.E27

box: **2pcs**

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SIMON RANGE

LARGE SIZE



MADE IN ITALY



U33.162



LARGE SIZE

SIMON RANGE

AVAILABLE COLORS		DIFFUSER	
RESIN BODY (MOULDED COLOURS)		CLEAR (X) OPAL (Y)	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON


OFIR/SIMON

IP55



E27

U33.132.E27




box: 1pcs

LOT/SIMON

E27

U33.113.E27

IP55




box: 1pcs

SICHEM/SIMON

E27

U33.121.E27

IP55



box: 1pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



MADE IN ITALY

SIMON RANGE

LARGE SIZE



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)



SUITABLE FOR
MBF - HQI - SON

IAFET.R/SIMON (resin)

IP55

E27
U33.162.E27

box: 2pcs

ALOE'.R/SIMON (resin)

IP55

E27
U33.163.E27

box: 2pcs

ARTU'/SIMON

IP55

E27
U33.158.E27

box: 2pcs



LARGE SIZE

SIMON RANGE

"METAL POST COVERED BY RESIN"

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION | UV-RAYS STABILIZED | NO MAINTENANCE | DOUBLE INSULATION | NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI/SIMON

IP55

E27
U33.156.E27

box: 2pcs

RICU/SIMON

IP55

E27
U33.157.E27

box: 2pcs

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



HALF LANTERN



MADE IN ITALY

M22.000.F1R



NEW FILAMENT LED
INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

6W (670 lm)
2700 K
100-240 V



HALF LANTERNS

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A)	CLEAR (X)
WHITE (W)	OPAL (Y)

LED VERSION

ENERGY CLASS: A+ (A+, A, B, C, D, E)

6W
670lm
2.700K
100-240V
= 60W INCANDESCENT
CRI 80

E27 VERSION

IP55

IESSE

LED FILAMENT 6W
M22.000.F1R

E27
M22.000.E27

Dimensions:

220 (width)
350 (height)
130 (width of base)

110 (width of top)
230 (height of top section)
350 (height of bottom section)

Master box: 16pcs

IP55

DARIA

LED FILAMENT 6W
M28.000.F1R

E27
M28.000.E27

Dimensions:

515 (height)
210 (width of top)
169 (width of middle)
143 (width of bottom)
300 (height of bottom section)

E27 SUITABLE FOR
MBF - HQI - SON

SMALL LANTERN



MEDIUM LANTERN



LARGE LANTERN



HALF LANTERN



BOLLARD



SAURO

CLASSIC BOLLARD



MADE IN ITALY

D15.554.D1LCRB

E27 VERSION



*To order the aluminium chrome conic version use the CMS (instead of CRB) suffix at the end of the code.



SAURO

SMALL LANTERN



AVAILABLE COLORS		ENERGY CLASS	LED VERSION	E27 VERSION
RESIN BODY (MOULDED COLOURS) BLACK (A) GREY (L) WHITE (W)		A++ A+ A B C D E		
DIFFUSER CLEAR (X) OPAL (Y)		TUV 800 ENERGY STAR		

SAURO 1100

LAMP INCLUDED: GX53 LED

7W	4000K	D15.555.C1LCRB
	3000K	D15.555.C1RCRB
10W	4000K	D15.555.D1LCRB
	3000K	D15.555.D1RCRB
E27		D15.555.E27

Dimensions: 150mm top diameter, 1100mm height, Ø245mm base diameter.

Louvre options:
 FRA: with white resin louvre
 FCT: with aluminium chrome louvre

MEDIUM LANTERN



SAURO 800

LAMP INCLUDED: GX53 LED

7W	4000K	D15.554.C1LCRB
	3000K	D15.554.C1RCRB
10W	4000K	D15.554.D1LCRB
	3000K	D15.554.D1RCRB
E27		D15.554.E27

Dimensions: 150mm top diameter, 800mm height, Ø245mm base diameter.

Louvre options:
 FRA: with white resin louvre
 FCT: with aluminium chrome louvre

LARGE LANTERN



HALF LANTERN




BOLLARD



MADE IN ITALY

BOLLARD LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	700Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
	10W	1000Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT



LED

LAMP INCLUDED: **GX53 LED**

SAURO 500

E27

7W	4000K	D15.553.C1LCRB
3000K		D15.553.C1RCRB
10W	4000K	D15.553.D1LCRB
3000K		D15.553.D1RCRB
E27		D15.553.E27

150
500
Ø245

150
500
Ø245

with white resin louvre

FRA

with aluminium chrome louvre

FCT

AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	CLEAR (X) OPAL (Y)



LED

LAMP INCLUDED: **GX53 LED**

MIRELLA

E27

7W	4000K	D15.505.C1LCRB
3000K		D15.505.C1RCRB
10W	4000K	D15.505.D1LCRB
3000K		D15.505.D1RCRB
E27		D15.505.E27

520
240

520
240

with white resin louvre

FRA

with aluminium chrome louvre

FCT



MODULAR LED SYSTEM

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 or E27 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments
- **SUITABLE FOR OUTDOOR USE:** driver fully protected against heat and humidity by **SILICONE PASTE**.



ENERGY LABEL: A++ to E

SAVE 90%

TUV SUD

PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h

6W - E27 FILAMENT LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE
A60	6W	670lm	100-240V 50/60 Hz	25.000 h	2700K	H.LED.FIL.3K

SAVE 90%

TUV SUD


PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h



SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

SURGE RESISTANT

ENERGY LABEL: A++ to E

SAVE 90%

TUV SUD

PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h

NEW E27 FILAMENT LED LAMPS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE
A60	8W	1000lm	100-240V 50/60 Hz	25.000 h	2700K	H2.LED.FIL.3K
A70	12W	1500lm	100-240V 50/60 Hz	25.000 h	2700K	H3.LED.FIL.3K

AVAILABLE FROM JUNE 2016

4,5W - GU10 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE
GU10 LED	4,5W	300lm	100-240V 50/60 Hz	25.000 h	4000K	H.LED.GU10
					3000K	H.LED.GU10.3K

SAVE 95%

TUV SUD


PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h



SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

SURGE RESISTANT

ENERGY LABEL: A++ to E

SAVE 95%

TUV SUD

PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h

3W - GX53 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE
GX53 LED	3W	350lm	100-240V 50/60 Hz	25.000 h	4000K	H.LED.G53
					3000K	H.LED.G53.3K

SAVE 93%

TUV SUD


PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h



SURGE RESISTANT

ENERGY LABEL: A++ to E

SAVE 93%

TUV SUD

PRODUCTION MONITORED SAFETY TESTED

CE

LVD TESTED

EMC TESTED

ERP 6000 h

7W - GX53 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE	
 GX53 LED	7W	700Lm	100-240V 50/60 Hz	25.000 h	4000K	H2.LED.G53	= 75W INCANDESCENT
					3000K	H2.LED.G53.3K	

Ø100

37

PRODUCTION MONITORED SAFETY TESTED

LVD TESTED
EMC TESTED
ERP 6000 h

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30° 90% HUMIDITY

SURGE RESISTANT

11W - GX53 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE	
 GX53 LED	11W	1300Lm	100-240V 50/60 Hz	25.000 h	4000K	H4.LED.G53	= 100W INCANDESCENT
					3000K	H4.LED.G53.3K	

Ø180

33

PRODUCTION MONITORED SAFETY TESTED

LVD TESTED
EMC TESTED
ERP 6000 h

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30° 90% HUMIDITY

SURGE RESISTANT

10W - GX53 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE	
 GX53 LED	10W	1000Lm	100-240V 50/60 Hz	25.000 h	4000K	H3.LED.G53	= 100W INCANDESCENT
					3000K	H3.LED.G53.3K	

Ø100

37

PRODUCTION MONITORED SAFETY TESTED

LVD TESTED
EMC TESTED
ERP 6000 h

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30° 90% HUMIDITY

SURGE RESISTANT

18W - GX53 LED LAMP

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	LIFE TIME	COLOUR TEMPERATURE	REF. CODE	
 GX53 LED	18W	2000Lm	100-240V 50/60 Hz	25.000 h	4000K	H5.LED.G53.4K	= 150W INCANDESCENT
					3000K	H5.LED.G53.3K	

Ø180

33

PRODUCTION MONITORED SAFETY TESTED

LVD TESTED
EMC TESTED
ERP 6000 h

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

+80°C -30° 90% HUMIDITY

SURGE RESISTANT

LOOKING FOR A MODERN DESIGN PRODUCT?

See our **Top selection 2016** dedicated to our **modern range!**



TO SEE OUR COMPLETE COLLECTION




Ask for our **NEW General Catalogue 2017**
or visit our website at
www.fumagalli.it



117
DISTRIBUTORS
ALL OVER THE WORLD

MADE IN ITALY

RESIN MATERIAL ADVANTAGES



RECYCLABLE



UV TREATED



DOUBLE INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER	STRUCTURE	SYSTEM	COLOUR OF THE STRUCTURE	COLOUR OF THE DIFFUSER	ELECTRIFICATION
IDENTIFIES THE DIFFUSER	IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)	IDENTIFIES THE MULTILIGHT SYSTEM, IF PRESENT	IDENTIFIES THE COLOUR OF THE STRUCTURE	IDENTIFIES THE COLOUR OF THE DIFFUSER	IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS
E22	156	S20	A	X	F1R

MADE IN
ITALY


fumagalli[®]
s i n c e 1 9 7 3

Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
E-mail italian.lux@fumagalli.it



www.fumagalli.it

